



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 14-OCT-20 to 08-DEC-20

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 49			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/10	27/10	03/11	10/11	17/11	24/11	01/12	08/12	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					2	3			20	22	23	5	2.0	2.5
Hepatitis B (unspecified)	12	12	8	13	11	4	8	8	482	407	450	31	36.7	0.8
Hepatitis C (newly acquired)	1				1		2		82	115	114	3	11.3	0.3
Hepatitis C (unspecified)	15	16	20	16	30	11	28	23	801	832	856	92	69.8	1.3
Hepatitis D									3	9	8	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	56	62	81	65	73	76	62	33	2629	3369	3270	244	297.6	0.8
Cryptosporidiosis			3	1	1	1	1		488	189	110	3	15.8	0.2
Hepatitis A									6	25	11	0	1.2	0.0
Hepatitis E									3	3	2	0	0.3	0.0
Listeriosis	1					1	1		8	7	8	2	0.2	10.0
Paratyphoid fever									0	7	9	0	0.5	0.0
Rotavirus	1	4	1	5	6	3	5	2	198	509	288	16	29.3	0.5
STEC/VTEC infection		2	1			2			96	141	84	2	7.3	0.3
Salmonellosis	34	27	23	30	20	24	24	13	1648	2052	1997	81	167.3	0.5
Shigellosis	6	5	2	4	5	4	1	1	215	373	246	11	17.7	0.6
Typhoid				1	1	1	1		7	17	13	3	1.3	2.3
Vibrio parahaemolyticus									3	17	13	0	1.2	0.0
Yersiniosis		2	1	1					14	23	10	0	1.0	0.0
Sexually transmissible infections														
Chlamydia (genital)	219	212	189	183	214	219	172	107	10170	11044	11043	712	838.0	0.8
Gonorrhoea	66	62	53	58	49	65	52	12	3392	3740	3261	178	254.1	0.7
Syphilis (congenital)									3	1	1	0	0.1	0.0
Syphilis - Infectious	18	22	16	14	8	14	13	15	695	556	405	50	28.7	1.7
Syphilis - Non-Infectious	7		2	5	8	2	1	4	214	225	215	15	13.0	1.2
Vaccine preventable diseases														
H. influenzae type b				1					3	2	1	0	0.1	0.0
Influenza	1			2			4	1	1212	23199	5624	5	246.9	0.0
Measles									4	54	36	0	1.7	0.0
Mumps									10	32	18	0	15.4	0.0
Pertussis			1	1	1		4		121	511	1274	5	111.1	0.0
Pneumococcal infection	5	5	5	6	2	2	4	1	160	245	201	9	12.5	0.7
Varicella (chicken pox)	22	28	36	14	12	12	16	6	590	596	632	46	51.8	0.9
Varicella (shingles)	47	48	55	45	65	49	30	5	2272	2134	2119	149	156.2	1.0
Varicella (unspecified)	47	45	44	49	41	38	48	47	1704	1326	1440	174	113.5	1.5
Vector-borne diseases														
Barmah Forest virus			1	1					21	14	36	0	2.3	0.0
Chikungunya									7	7	3	0	1.1	0.0
Dengue fever									62	317	127	0	16.5	0.0
Malaria									28	58	48	0	3.9	0.0
Ross River virus	17	14	21	20	22	30	20	9	399	379	482	81	44.2	1.8
Typhus							1	1	19	26	16	2	2.6	0.8
Zoonotic diseases														
Leptospirosis		1							2	3	3	0	0.5	0.0
Q Fever					1				6	7	12	1	1.2	0.8
Other diseases														
Acute post-streptococcal glomerulon				1					5	10	24	0	0.5	0.0
COVID-19	36	16	9	9	10	23	8	6	831	0	0	47	0.0	0.0
Creutzfeldt-Jakob disease									3	9	7	0	0.6	0.0
Haemolytic Uraemic Syndrome									4	1	1	0	0.2	0.0
Legionellosis		2			1	5	4		75	35	44	10	4.0	2.5
Leprosy					1				2	1	1	1	0.3	3.0
Melioidosis									5	4	5	0	0.3	0.0
Meningococcal infection	1								9	23	37	0	2.9	0.0
Tuberculosis	5	7		5	1	3	5	3	134	126	116	12	10.7	1.1
Grand Total	617	592	572	550	586	592	515	297						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 49			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	20/10	27/10	03/11	10/11	17/11	24/11	01/12	08/12	2020	2019	2018			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)					1	3			11	15	19	4	1.5	2.6
Hepatitis B (unspecified)	10	9	7	10	10	3	6	6	406	348	373	25	30.4	0.8
Hepatitis C (newly acquired)	1				1		2		66	83	88	3	9.4	0.3
Hepatitis C (unspecified)	10	11	11	14	26	7	23	17	587	572	632	73	52.1	1.4
Hepatitis D									2	9	7	0	0.1	0.0
Enteric diseases														
Campylobacteriosis	41	50	67	52	57	61	43	28	2081	2724	2567	189	230.3	0.8
Cryptosporidiosis			1	1	1	1	1		421	105	55	3	10.5	0.3
Hepatitis A									5	22	10	0	1.1	0.0
Hepatitis E									3	3	2	0	0.3	0.0
Listeriosis	1					1	1		7	7	5	2	0.2	10.0
Paratyphoid fever									0	7	9	0	0.5	0.0
Rotavirus	1	4	1	5	6	3	4	2	160	430	210	15	24.8	0.6
STEC/VTEC infection		1	1			1			73	110	71	1	6.1	0.2
Salmonellosis	26	22	19	23	17	17	18	12	1270	1603	1537	64	130.2	0.5
Shigellosis	1		2	2		2	1	1	97	263	112	4	9.1	0.4
Typhoid				1	1	1	1		7	15	12	3	1.3	2.4
Vibrio parahaemolyticus									3	12	12	0	1.1	0.0
Yersiniosis		2		1					12	22	9	0	0.9	0.0
Sexually transmissible infections														
Chlamydia (genital)	167	159	145	139	159	159	133	93	7874	8687	8582	544	655.5	0.8
Gonorrhoea	36	32	27	32	21	37	31	8	2190	2742	2187	97	175.7	0.6
Syphilis (congenital)									2	0	1	0	0.1	0.0
Syphilis - Infectious	7	13	12	12	6	7	8	11	457	323	291	32	20.1	1.6
Syphilis - Non-Infectious	5		1	3	8	2	1	3	176	148	164	14	9.7	1.4
Vaccine preventable diseases														
H. influenzae type b				1					1	1	0	0	0.1	0.0
Influenza	1			2			2	1	971	18319	4498	3	180.1	0.0
Measles									4	42	32	0	1.4	0.0
Mumps									7	16	17	0	2.5	0.0
Pertussis			1	1	1		3		97	407	884	4	74.0	0.1
Pneumococcal infection	3	3	2	3	1	1	4		64	147	120	6	6.9	0.9
Varicella (chicken pox)	20	17	25	12	10	11	12	4	450	445	460	37	40.5	0.9
Varicella (shingles)	34	41	40	34	53	40	21	5	1678	1515	1508	119	113.4	1.0
Varicella (unspecified)	40	37	40	44	36	34	44	44	1561	1266	1399	158	107.2	1.5
Vector-borne diseases														
Barmah Forest virus									3	5	7	0	0.7	0.0
Chikungunya									3	7	1	0	1.1	0.0
Dengue fever									48	260	108	0	14.0	0.0
Malaria									22	50	41	0	3.1	0.0
Ross River virus	8	6	5	2	12	12	10	2	203	257	335	36	25.3	1.4
Typhus							1		10	17	10	1	2.1	0.5
Zoonotic diseases														
Leptospirosis									0	2	3	0	0.4	0.0
Q Fever				1					3	3	6	1	0.5	2.1
Other diseases														
COVID-19	4	5	4	4	5	11	4	5	489	0	0	25	0.0	0.0
Creutzfeldt-Jakob disease									3	7	5	0	0.5	0.0
Legionellosis		1			1	3	4		54	29	36	8	2.8	2.9
Leprosy					1				2	0	1	1	0.1	7.5
Meningococcal infection	1								4	11	21	0	1.7	0.0
Tuberculosis	5	7		5	1	3	5	3	121	116	96	12	9.3	1.3
Grand Total	422	420	411	403	436	420	383	245						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.3		3 (1)	0.6		1	0.6
Hepatitis B (unspecified)	1	6 (8)	14.8	2	8 (5)	16.7	3	11 (15)	21.6
Hepatitis C (newly acquired)		2 (2)	1.1		(7)	2.9		1 (4)	4.5
Hepatitis C (unspecified)	2	14 (18)	14.3	7	23 (15)	30.4	8	36 (17)	32.7
Hepatitis D									0.3
Enteric diseases									
Campylobacteriosis	10	65 (87)	91.7	9	58 (99)	91.2	9	66 (90)	89.4
Cryptosporidiosis		(1)	26.5			13.6		3 (9)	14.4
Hepatitis A			0.1			0.1		(1)	0.4
Hepatitis E			0.3						0.1
Listeriosis		1	0.5		1	0.4			
Rotavirus	2	6 (10)	7.7		4 (11)	5.0		5 (14)	8.1
STEC/VTEC infection		1 (2)	3.5		(1)	1.8		(8)	4.1
Salmonellosis	1	20 (61)	57.6	2	11 (44)	48.9	9	33 (49)	59.2
Shigellosis		1 (8)	4.1		(7)	3.5	1	3 (8)	5.0
Typhoid		1	0.4			0.1		2	0.4
Vibrio parahaemolyticus						0.3			0.1
Yersiniosis			0.5		(2)	0.7		(1)	0.4
Sexually transmissible infections									
Chlamydia (genital)	25	156 (210)	303.4	21	174 (232)	344.1	47	214 (263)	381.9
Gonorrhoea	1	32 (66)	77.7	2	21 (70)	93.7	5	44 (94)	114.6
Syphilis (congenital)						0.1			0.1
Syphilis - Infectious	4	8 (4)	15.9	2	4 (7)	17.0	5	20 (16)	26.6
Syphilis - Non-Infectious	1	2 (4)	7.0	1	4 (2)	5.0	1	8 (7)	10.8
Vaccine preventable diseases									
H. influenzae type b									0.1
Influenza	1	1 (52)	47.4		1 (49)	38.6		1 (67)	40.6
Measles			0.3			0.3			
Mumps		(2)	0.6			0.1		(1)	0.1
Pertussis		1 (12)	4.3		2 (7)	5.6		1 (4)	2.8
Pneumococcal infection		1 (3)	3.1		2 (4)	2.8		3 (5)	2.4
Varicella (chicken pox)	1	6 (16)	23.1	1	17 (20)	19.5	2	14 (8)	16.2
Varicella (shingles)	1	37 (40)	78.5	2	50 (48)	81.8	2	32 (42)	59.8
Varicella (unspecified)	24	70 (40)	66.8	12	51 (32)	79.8	8	37 (31)	58.6
Vector-borne diseases									
Barmah Forest virus					(1)	0.3			0.1
Chikungunya						0.1			0.3
Dengue fever		(10)	1.9		(11)	2.2		(5)	2.2
Malaria		(1)	0.8		(2)	0.6		(2)	1.5
Ross River virus	1	9 (2)	4.3		20 (6)	17.8	1	7 (4)	5.3
Typhus		(1)	0.4		1 (1)	0.4		(1)	0.5
Zoonotic diseases									
Leptospirosis									
Q Fever					1	0.1		(1)	0.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		10	22.7	1	4	22.4	4	11	18.9
Creutzfeldt-Jakob disease		(1)	0.1						0.3
Haemolytic Uraemic Syndrome									
Legionellosis		2 (2)	2.3		1 (2)	2.2		5 (2)	2.6
Leprosy			0.1		1	0.1			
Melioidosis									
Meningococcal infection						0.1		(1)	0.4
Tuberculosis		(10)	4.6	1	5 (2)	4.7	2	7 (5)	6.4
Grand Total	75	452 (673)		63	467 (688)		107	565 (775)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	1.5						1.3
Hepatitis B (unspecified)		(1)	3.1			1.6			16.3
Hepatitis C (newly acquired)		(1)	3.1			3.1			2.5
Hepatitis C (unspecified)	3	7 (8)	33.7	1	3 (4)	47.1		2 (6)	33.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	22 (28)	111.8		5 (10)	89.4		8 (13)	100.6
Cryptosporidiosis		(8)	14.8			7.8			6.3
Hepatitis A						1.6			
Hepatitis E						1.6			
Listeriosis						1.6			
Rotavirus		(1)	6.1			7.8		(2)	6.3
STEC/VTEC infection		(1)	4.1			4.7		(1)	2.5
Salmonellosis		3 (12)	63.3		2	31.4		2 (7)	49.0
Shigellosis			0.5			3.1			3.8
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis			0.5			1.6			
Sexually transmissible infections									
Chlamydia (genital)	10	35 (34)	268.5		11 (12)	249.4	3	13 (16)	179.8
Gonorrhoea		2 (16)	60.7		2	28.2		1 (2)	46.5
Syphilis (congenital)									
Syphilis - Infectious			9.2			9.4			5.0
Syphilis - Non-Infectious			3.1						2.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		2 (8)	30.1		(1)	43.9		(4)	30.2
Measles									
Mumps									
Pertussis		(7)	7.1			1.6			1.3
Pneumococcal infection		(2)	2.6		1	3.1		(1)	8.8
Varicella (chicken pox)		1 (1)	19.4		(2)	6.3		3 (1)	16.3
Varicella (shingles)		21 (22)	151.6		2 (7)	116.1		1 (7)	61.6
Varicella (unspecified)		1	1.5	1	4 (2)	91.0	1	3 (2)	21.4
Vector-borne diseases									
Barmah Forest virus			1.5			4.7			
Chikungunya			2.0						
Dengue fever		(1)	1.0						2.5
Malaria			0.5						
Ross River virus	6	37 (1)	55.1		4 (1)	20.4	1	2	13.8
Typhus		(1)	1.0			1.6			2.5
Zoonotic diseases									
Leptospirosis			0.5			1.6			
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		1	9.7			11.0		1	13.8
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			0.5			1.6			
Legionellosis		1	4.1		1	4.7			5.0
Leprosy									
Melioidosis									
Meningococcal infection									
Tuberculosis			1.5						1.3
Grand Total	22	134 (153)		2	35 (39)		5	36 (62)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			2.8			1.6			1.4
Hepatitis B (unspecified)	1	2	14.0			16.4		1 (1)	22.7
Hepatitis C (newly acquired)			2.8		(2)	3.3			2.8
Hepatitis C (unspecified)		2 (2)	44.9		1 (2)	42.5	1	1	21.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis		8 (4)	82.8		1 (4)	76.9		5 (8)	56.8
Cryptosporidiosis			7.0					(2)	28.4
Hepatitis A									
Hepatitis E									
Listeriosis									
Rotavirus			5.6			3.3		1 (1)	8.5
STEC/VTEC infection		1 (1)	12.6			1.6			
Salmonellosis		(4)	49.1		1 (5)	44.1	1	1 (5)	76.7
Shigellosis		1 (2)	46.3		(1)	11.4		3 (1)	27.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	30 (16)	407.1		14 (23)	466.0		17 (24)	417.8
Gonorrhoea		5 (5)	136.2	3	11 (7)	281.2		17 (18)	325.5
Syphilis (congenital)			1.4						
Syphilis - Infectious			18.2	2	6	40.9	1	4 (7)	100.9
Syphilis - Non-Infectious		(1)	4.2		(3)	18.0		(1)	8.5
Vaccine preventable diseases									
H. influenzae type b									
Influenza		(2)	63.2		(1)	32.7		(4)	37.0
Measles									
Mumps						1.6			2.8
Pertussis		1	4.2		(1)	1.6			1.4
Pneumococcal infection		(1)	22.5		1 (1)	49.1	1	1 (2)	18.5
Varicella (chicken pox)	2	2	12.6		1 (2)	37.6		2	59.7
Varicella (shingles)		(4)	29.5		2 (5)	86.7		1 (1)	48.3
Varicella (unspecified)		3	68.8	1	3 (1)	4.9		1	4.3
Vector-borne diseases									
Barmah Forest virus			1.4		(1)	3.3			1.4
Chikungunya									
Dengue fever		(1)	1.4		(1)	6.5			1.4
Malaria						1.6			
Ross River virus		2	23.9		(1)	4.9			21.3
Typhus	1	1	1.4						2.8
Zoonotic diseases									
Leptospirosis									
Q Fever			4.2						
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					(1)	1.6			1.4
COVID-19			4.2		1	16.4			7.1
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome			1.4						
Legionellosis			2.8			4.9			1.4
Leprosy									
Melioidosis									
Meningococcal infection			1.4			1.6		(1)	1.4
Tuberculosis									1.4
Grand Total	5	58 (43)		6	42 (62)		4	55 (76)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	5 (1)	0.7
Hepatitis B (unspecified)	1	3 (1)	46.8	8	31 (31)	16.7
Hepatitis C (newly acquired)				0	3 (17)	2.9
Hepatitis C (unspecified)		2	36.9	23	92 (72)	28.0
Hepatitis D			2.5	0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis	2	6 (1)	83.7	33	244 (349)	91.4
Cryptosporidiosis		(1)	2.5	0	3 (21)	17.0
Hepatitis A				0	0 (1)	0.2
Hepatitis E				0	0 (0)	0.1
Listeriosis				0	2 (0)	0.3
Rotavirus		(1)	4.9	2	16 (40)	6.9
STEC/VTEC infection				0	2 (15)	3.3
Salmonellosis		5 (6)	147.7	13	81 (195)	57.3
Shigellosis		3 (6)	123.1	1	11 (33)	7.5
Typhoid				0	3 (0)	0.2
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	0 (3)	0.5
Sexually transmissible infections						
Chlamydia (genital)		44 (49)	1250.5	107	712 (885)	353.7
Gonorrhoea	1	43 (36)	1223.4	12	178 (321)	118.0
Syphilis (congenital)				0	0 (0)	0.1
Syphilis - Infectious	1	8 (7)	221.5	15	50 (41)	24.2
Syphilis - Non-Infectious	1	1	9.8	4	15 (21)	6.8
Vaccine preventable diseases						
H. influenzae type b			4.9	0	0 (0)	0.1
Influenza		(1)	29.5	1	5 (192)	42.2
Measles				0	0 (0)	0.1
Mumps				0	0 (3)	0.3
Pertussis			7.4	0	5 (31)	4.2
Pneumococcal infection		(2)	51.7	1	9 (21)	5.6
Varicella (chicken pox)		(1)	17.2	6	46 (52)	20.5
Varicella (shingles)		3 (5)	123.1	5	149 (184)	79.0
Varicella (unspecified)				47	174 (108)	59.3
Vector-borne diseases						
Barmah Forest virus			19.7	0	0 (2)	0.7
Chikungunya				0	0 (0)	0.2
Dengue fever			2.5	0	0 (30)	2.2
Malaria				0	0 (5)	1.0
Ross River virus			66.5	9	81 (15)	13.9
Typhus			2.5	1	2 (4)	0.7
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.1
Q Fever				0	1 (1)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		(1)	7.4	0	0 (2)	0.2
COVID-19			36.9	6	47 (0)	30.4
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Haemolytic Uraemic Syndrome			2.5	0	0 (0)	0.1
Legionellosis				0	10 (6)	2.6
Leprosy				0	1 (0)	0.1
Melioidosis			12.3	0	0 (0)	0.2
Meningococcal infection			2.5	0	0 (3)	0.3
Tuberculosis			4.9	3	12 (17)	3.9
Grand Total	6	118 (118)		297	1990 (2723)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 49	
	20/10	27/10	03/11	10/11	17/11	24/11	01/12	08/12	2020	2019
									1648	2006
Salmonella Total	34	27	23	30	20	24	24	13	1648	2006
Serotype/Phage										
Salmonella Adelaide									4	3
Salmonella Agona									6	10
Salmonella Amsterdam var 15+									2	0
Salmonella Anatum									15	20
Salmonella Anatum var 15+									5	3
Salmonella Bahrenfeld									1	0
Salmonella Bareilly									3	5
Salmonella Birkenhead			1						3	0
Salmonella Bleadon subsp II									1	1
Salmonella Blukwa									1	0
Salmonella Bovismorbificans		1							11	18
Salmonella Bredeney									1	2
Salmonella Cerro									2	2
Salmonella Chailey									2	1
Salmonella Charity									1	0
Salmonella Chester			1						25	21
Salmonella Choleraesuis bv Australia		1		1	1	1			18	11
Salmonella Choleraesuis bv Decatur									11	6
Salmonella Corvallis									3	8
Salmonella Derby									1	4
Salmonella Dublin									1	0
Salmonella Eastbourne							1		3	5
Salmonella Enteritidis									47	203
Salmonella Fremantle subsp II					1				5	5
Salmonella Give		1	1	1					8	3
Salmonella Hadar									1	2
Salmonella Haifa									1	0
Salmonella Havana					1				5	9
Salmonella Hessarek									1	0
Salmonella Houten subsp IV									1	2
Salmonella Hvittingfoss	2								6	5
Salmonella Ibadan									2	0
Salmonella Infantis	1		1		1				27	26
Salmonella Jangwani									1	0
Salmonella Javiana									4	12
Salmonella Johannesburg									1	4
Salmonella Kentucky									3	21
Salmonella Kiambu							1		4	8
Salmonella Kottbus									4	1
Salmonella Lansing		1	1	1					4	1
Salmonella Litchfield									4	4
Salmonella Lohbruegge subsp IV									1	0
Salmonella Mbandaka									2	7
Salmonella Mississippi									1	1
Salmonella Montevideo			1						2	2
Salmonella Muenchen	1		1		1				26	33
Salmonella Newport		1		1			1		13	29
Salmonella Oranienburg									7	7
Salmonella Orientalis							1		3	2

Weekly Report for period 14-OCT-20 to 08-DEC-20

	20/10	27/10	03/11	10/11	17/11	24/11	01/12	08/12	Cumulative Total to end of Week 49	
									2020	2019
Salmonella Total	34	27	23	30	20	24	24	13	1648	2006
Serotype/Phage										
Salmonella Orion					1				3	2
Salmonella Orion var 15+									1	0
Salmonella Oslo									1	2
Salmonella Paratyphi B bv Java				1		1			24	86
Salmonella Pomona									0	0
Salmonella Poona				1			1		3	3
Salmonella Potsdam			1			1	1		15	4
Salmonella Reading			1		1		1		6	11
Salmonella Richmond									1	1
Salmonella Rissen									4	5
Salmonella Rubislaw									1	0
Salmonella Saintpaul	1		1			2			39	44
Salmonella Schwarzengrund									2	6
Salmonella Senftenberg	1				1		1		8	7
Salmonella Singapore									3	5
Salmonella Stanley						1			10	43
Salmonella Tennessee	1							1	2	2
Salmonella Thompson									3	4
Salmonella Typhimurium	24	20	9	20	11	15	14	9	1075	1065
Salmonella Urbana									1	2
Salmonella Virchow						1			20	31
Salmonella Wandsbek subsp II			1						5	3
Salmonella Wandsworth				1					2	0
Salmonella Waycross									2	0
Salmonella Welikade									4	5
Salmonella Weltevreden									7	30
Salmonella Weltevreden var 15+									1	2
Salmonella Zanzibar				1					2	0
Salmonella species	2	1	3	2	1		4	3	80	115
Salmonella subsp 1 ser 4,5,12:-:-	1								1	1
Salmonella subsp 1 ser 4,5:d:-									1	15
Salmonella subsp I ser 16:l,v:-									3	2
Salmonella subsp I ser 4,5:-:- non-motile									9	2
Salmonella subsp IIIb 48:k:1,5,7									1	0
Salmonella subsp IIIb 61:l,v:1,5,7:/z57/									1	0
Salmonella subsp IIIb 61:l,v:z35		1							2	1
Salmonella subsp IIIb ser									1	0