



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 16-APR-21 to 10-JUN-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2					1			6	6	14	1	2.1	0.5
Hepatitis B (unspecified)	9	8	4	11	13	12	5	3	303	200	195	33	47.5	0.7
Hepatitis C (newly acquired)	1	3		3	1				27	45	43	1	9.2	0.1
Hepatitis C (unspecified)	25	11	18	13	15	23	15	12	468	347	400	65	73.7	0.9
Hepatitis D				1					3	0	7	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	63	50	40	41	51	41	50	9	1221	1162	1346	151	214.1	0.7
Cryptosporidiosis	6	8	5	1	3	2	6	1	67	455	101	12	14.4	0.8
Hepatitis A									1	6	15	0	0.5	0.0
Listeriosis							1		3	1	5	1	0.5	2.1
Rotavirus	2	3	1	1	3	2	2		54	104	158	7	31.8	0.2
STEC/VTEC infection	1	5	2	1	2	1	1		48	61	75	4	4.3	0.9
Salmonellosis	26	19	14	17	23	21	17	3	548	994	1036	64	160.9	0.4
Shigellosis	1	1	1	2	6	3	2	1	42	146	189	12	14.3	0.8
Typhoid									1	3	12	0	0.5	0.0
Vibrio parahaemolyticus									3	2	12	0	1.3	0.0
Yersiniosis	2			2				3	18	7	2	3	1.4	2.1
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	207	170	216	230	204	203	203	19	4694	4976	5336	629	865.1	0.7
Gonorrhoea	48	40	56	63	44	62	29	4	1161	1803	1826	139	261.9	0.5
Syphilis (congenital)	1								3	1	1	0	0.1	0.0
Syphilis - Infectious	15	11	20	17	14	19	19	4	386	317	262	56	34.0	1.6
Syphilis - Non-Infectious	1	3		5	6	4	2	1	77	94	99	13	13.4	1.0
Vaccine preventable diseases														
Influenza	1		2	1	3				17	1165	8954	3	1307.3	0.0
Mumps									1	9	13	0	8.1	0.0
Pertussis					1		1		12	100	307	2	65.9	0.0
Pneumococcal infection	1	3	1	3	3	3	2	1	37	52	83	9	18.0	0.5
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	9	7	8	5	6	9	4	1	169	185	268	20	42.7	0.5
Varicella (shingles)	47	43	56	36	42	35	26	3	1134	1081	985	106	158.2	0.7
Varicella (unspecified)	24	36	32	29	43	28	53	20	775	604	627	144	116.3	1.2
Vector-borne diseases														
Barmah Forest virus	1					1			6	13	6	1	1.9	0.5
Dengue fever				1					2	62	175	0	20.3	0.0
Malaria				2					6	25	25	0	3.3	0.0
Ross River virus	17	20	22	18	21	17	17	1	403	165	215	56	35.9	1.6
Typhus					2		2		10	15	7	4	1.8	2.2
Zoonotic diseases														
Leptospirosis					1				2	1	3	1	0.2	5.0
Q Fever			1			2			3	3	4	2	0.7	3.0
Other diseases														
Acute post-streptococcal glomerulonephritis				1					2	1	4	0	0.3	0.0
COVID-19	15	17	9	2	1	1	1		147	591	0	3	5.2	0.6
Creutzfeldt-Jakob disease									2	2	4	0	0.6	0.0
Legionellosis	1	1	3	2	1	3	6		32	37	14	10	4.9	2.0
Leprosy						1			1	0	0	1	0.2	5.0
Melioidosis					1				3	4	4	1	0.4	2.5
Meningococcal infection	1								6	5	10	0	1.3	0.0
Tuberculosis	5	4	1	2	3	2	3	1	52	52	52	9	10.3	0.9
Grand Total	532	463	512	510	513	496	467	87						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 23			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1					1			5	4	9	1	1.5	0.7
Hepatitis B (unspecified)	8	5	4	8	10	10	3	3	219	173	172	26	40.2	0.6
Hepatitis C (newly acquired)	1	2		2	1				24	34	33	1	6.9	0.1
Hepatitis C (unspecified)	15	8	13	9	12	14	11	9	333	247	270	46	52.5	0.9
Hepatitis D				1					3	0	7	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	48	41	31	31	39	30	39	7	951	931	1103	115	170.5	0.7
Cryptosporidiosis	3	4		1	1	1	2		25	397	48	4	9.1	0.4
Hepatitis A									1	5	14	0	0.4	0.0
Listeriosis									1	0	5	0	0.3	0.0
Rotavirus	1	3	1	1	3	2	2		49	85	135	7	19.7	0.4
STEC/VTEC infection	1	2	2		2	1	1		35	48	56	4	3.1	1.3
Salmonellosis	18	13	11	10	15	18	9	2	381	757	813	44	121.4	0.4
Shigellosis				1			1	1	9	75	127	2	6.7	0.3
Vibrio parahaemolyticus									3	2	9	0	0.9	0.0
Yersiniosis	1			2				3	13	6	1	3	1.1	2.6
Sexually transmissible infections														
Chlamydia (genital)	167	136	156	186	162	156	157	18	3720	3852	4171	493	674.1	0.7
Gonorrhoea	30	23	35	41	32	41	24	4	709	1262	1337	101	177.0	0.6
Syphilis (congenital)									0	1	0	0	0.1	0.0
Syphilis - Infectious	10	7	13	10	9	11	17	4	220	204	146	41	23.0	1.8
Syphilis - Non-Infectious		2		5	4	3		1	56	81	67	8	10.3	0.8
Vaccine preventable diseases														
Influenza			1						7	936	6700	0	1050.1	0.0
Pertussis					1		1		10	79	238	2	47.5	0.0
Pneumococcal infection		3	1	2	3	3	2	1	24	19	55	9	10.5	0.9
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	7	4	7	3	6	8	2	1	126	129	190	17	32.7	0.5
Varicella (shingles)	37	29	39	27	32	27	17	2	813	782	698	78	113.0	0.7
Varicella (unspecified)	20	32	29	25	36	24	45	17	714	580	606	122	111.1	1.1
Vector-borne diseases														
Malaria				2					5	19	24	0	2.6	0.0
Ross River virus	8	11	9	8	11	8	11		211	90	153	30	21.3	1.4
Typhus					1				1	8	6	1	1.0	1.0
Zoonotic diseases														
Q Fever						1			1	2	1	1	0.3	3.8
Other diseases														
COVID-19	5	8	2	1			1		61	384	0	1	2.6	0.4
Creutzfeldt-Jakob disease									2	2	3	0	0.3	0.0
Legionellosis	1		2	1		1	5		19	21	12	6	3.5	1.7
Leprosy						1			1	0	0	1	0.2	5.0
Meningococcal infection									2	2	3	0	0.9	0.0
Tuberculosis	5	4	1	2	3	2	3	1	49	50	45	9	9.1	1.0
Grand Total	387	337	357	379	383	363	353	74						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.1		(1)	0.3	1		0.3
Hepatitis B (unspecified)	2	6 (12)	8.4	1	6 (11)	10.2	14 (13)		12.2
Hepatitis C (newly acquired)		(1)	0.3		(7)	1.1	1 (5)		2.1
Hepatitis C (unspecified)		9 (12)	7.6	5	18 (13)	17.9	4	19 (20)	21.7
Hepatitis D			0.3						0.1
Enteric diseases									
Campylobacteriosis	1	46 (39)	46.4	3	29 (54)	44.1	3	40 (37)	43.5
Cryptosporidiosis		1	0.4		1 (4)	1.7	2		1.5
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		5 (2)	2.9		(2)	1.2	2 (10)		2.7
STEC/VTEC infection		2 (1)	1.6		2 (1)	1.4	(2)		1.9
Salmonellosis		15 (34)	18.5	2	14 (38)	16.1	15 (30)		18.9
Shigellosis	1	1 (4)	0.4		(1)	0.5	1 (3)		0.4
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis	1	1	0.5		(1)	0.5	2	2	0.8
Sexually transmissible infections									
Chlamydia (genital)	8	163 (174)	157.6	4	136 (203)	161.8	6	194 (244)	204.4
Gonorrhoea	2	24 (49)	27.8		32 (55)	29.1	2	45 (82)	42.8
Syphilis (congenital)									
Syphilis - Infectious	1	8 (14)	5.2	1	13 (16)	11.0	2	20 (22)	15.0
Syphilis - Non-Infectious		3 (6)	1.8	1	3 (4)	2.7	2 (9)		3.4
Vaccine preventable diseases									
Influenza		(1)	0.5				(2)		0.4
Mumps									
Pertussis		1 (1)	0.3		1 (3)	0.9	(2)		0.3
Pneumococcal infection	1	3 (3)	0.8		3 (1)	1.1	3		1.5
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		4 (10)	6.8	1	8 (11)	6.5	5 (10)		4.5
Varicella (shingles)	1	27 (52)	41.1	1	33 (48)	40.7	18 (43)		33.1
Varicella (unspecified)	8	45 (35)	34.9	6	49 (42)	39.8	3	28 (33)	26.6
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									
Malaria			0.1		(1)	0.2			0.4
Ross River virus		10 (1)	9.7		11 (14)	11.3	9 (2)		8.9
Typhus					1	0.2			
Zoonotic diseases									
Leptospirosis									
Q Fever							1		0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		(2)	3.5		1 (2)	1.5	(8)		3.4
Creutzfeldt-Jakob disease		(1)	0.1						0.1
Legionellosis		3 (4)	1.4		2 (3)	0.8	1 (1)		0.5
Leprosy							1		0.1
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis		5 (3)	1.8	1	1 (4)	2.3	3		2.9
Grand Total	26	382 (462)		26	364 (540)		22	427 (578)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2 (2)	6.6	1		4.9		(1)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	6 (4)	17.5	1 (4)		27.7	2		24.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	13 (14)	55.9	1 (3)		47.3	1	3 (5)	41.4
Cryptosporidiosis	1	3 (3)	5.5			4.9			
Hepatitis A									
Listeriosis		1	1.1						
Rotavirus		(2)	0.5			3.3			
STEC/VTEC infection			4.4	(1)		1.6			
Salmonellosis		5 (5)	20.3	1 (2)		9.8	4 (5)		32.0
Shigellosis		1	0.5	1		1.6	2		2.7
Vibrio parahaemolyticus									
Yersiniosis				(1)		1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)	1	35 (50)	127.6	7 (14)		96.2	4 (9)		81.5
Gonorrhoea		5 (12)	14.8			3.3	1 (6)		22.7
Syphilis (congenital)									
Syphilis - Infectious		(2)	3.3	1		6.5	1 (1)		4.0
Syphilis - Non-Infectious			1.1			1.6			5.3
Vaccine preventable diseases									
Influenza		2 (1)	1.6			4.9			1.3
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5				(1)		5.3
Rubella (non-congenital)									
Varicella (chicken pox)		1 (4)	7.1	(1)		16.3			6.7
Varicella (shingles)	1	12 (30)	76.1	1 (8)		79.9	4 (4)		50.7
Varicella (unspecified)		1	3.3	2	10	26.1	1		12.0
Vector-borne diseases									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus		6 (2)	36.7	3		81.5	1	10 (1)	37.4
Typhus		1	1.1	(1)		3.3			1.3
Zoonotic diseases									
Leptospirosis									
Q Fever							1		2.7
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		2	3.3			1.6	(1)		1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			0.5			1.6			
Grand Total	5	96 (131)		2	27 (35)		2	33 (34)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2	11.6		(2)	9.7		2 (1)	30.1
Hepatitis C (newly acquired)		(1)	1.7					(1)	3.3
Hepatitis C (unspecified)		3 (3)	31.5		(2)	27.0	1	2 (1)	25.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis		6 (2)	51.4		4 (5)	50.2		6 (2)	48.6
Cryptosporidiosis		(1)	1.7			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9			1.7
STEC/VTEC infection		(1)	3.3			1.9			1.7
Salmonellosis	1	2 (4)	16.6			17.4		6 (4)	58.6
Shigellosis		1	13.3		2 (2)	7.7		(2)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
Sexually transmissible infections									
Chlamydia (genital)		23 (25)	212.2		15 (17)	224.0		20 (19)	216.0
Gonorrhoea		3 (18)	49.7		12 (7)	202.8		9 (11)	145.7
Syphilis (congenital)						1.9			
Syphilis - Infectious			11.6		2	29.0		10 (5)	112.2
Syphilis - Non-Infectious		2	5.0		2	11.6		1	3.3
Vaccine preventable diseases									
Influenza		(1)	1.7					1 (1)	1.7
Mumps						1.9			
Pertussis									
Pneumococcal infection		(2)	1.7		(4)	1.9		(2)	5.0
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	3.3		1 (3)	15.4			3.3
Varicella (shingles)		1 (2)	24.9		2 (5)	52.1		2 (3)	35.2
Varicella (unspecified)	1	6 (4)	29.8			1.9		2	5.0
Vector-borne diseases									
Barmah Forest virus		1	1.7						
Dengue fever			1.7						1.7
Malaria									
Ross River virus		3	23.2			32.8		2	6.7
Typhus		1	1.7					1	5.0
Zoonotic diseases									
Leptospirosis		1	1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1 (1)	5.0					1 (1)	1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
Grand Total	2	56 (66)		40 (47)			1	65 (53)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.2
Hepatitis B (unspecified)		(1)	74.7	3	33 (43)	6.6
Hepatitis C (newly acquired)				0	1 (18)	1.0
Hepatitis C (unspecified)	1	5 (3)	54.6	12	65 (62)	15.3
Hepatitis D				0	0 (0)	0.1
Enteric diseases						
Campylobacteriosis		1 (3)	37.3	9	151 (164)	46.0
Cryptosporidiosis		4	60.3	1	12 (8)	2.5
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	1 (0)	0.1
Rotavirus				0	7 (18)	2.0
STEC/VTEC infection				0	4 (6)	1.8
Salmonellosis		(9)	106.3	3	64 (131)	20.7
Shigellosis		3 (6)	34.5	1	12 (18)	1.6
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				3	3 (2)	0.7
Sexually transmissible infections						
Chlamydia (genital)		25 (47)	608.9	19	629 (809)	177.0
Gonorrhoea		8 (29)	496.9	4	139 (273)	43.8
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		1 (10)	172.3	4	56 (71)	14.6
Syphilis - Non-Infectious			5.7	1	13 (19)	2.7
Vaccine preventable diseases						
Influenza			2.9	0	3 (10)	0.6
Mumps				0	0 (0)	0.0
Pertussis				0	2 (6)	0.5
Pneumococcal infection		(4)	8.6	1	9 (18)	1.4
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		1	5.7	1	20 (40)	6.4
Varicella (shingles)		5 (2)	71.8	3	106 (200)	42.8
Varicella (unspecified)			2.9	20	144 (114)	29.2
Vector-borne diseases						
Barmah Forest virus		(1)	14.4	0	1 (3)	0.2
Dengue fever				0	0 (0)	0.1
Malaria				0	0 (1)	0.2
Ross River virus		2	28.7	1	56 (21)	15.2
Typhus				0	4 (3)	0.4
Zoonotic diseases						
Leptospirosis			2.9	0	1 (1)	0.1
Q Fever				0	2 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			5.7	0	0 (0)	0.1
COVID-19				0	3 (36)	7.1
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Legionellosis			2.9	0	10 (11)	1.2
Leprosy				0	1 (0)	0.0
Melioidosis		1	5.7	0	1 (0)	0.1
Meningococcal infection			2.9	0	0 (1)	0.2
Tuberculosis				1	9 (7)	1.2
Grand Total	1	56 (115)		87	1563 (2121)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 23	
	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	2021	2020
	Salmonella Total	26	19	14	17	23	21	17	3	548
Serotype/Phage										
Salmonella Aberdeen	1	1							2	0
Salmonella Adelaide									2	2
Salmonella Agona									3	4
Salmonella Anatum	2			1		2			7	9
Salmonella Bahrenfeld									1	1
Salmonella Ball									1	0
Salmonella Bareilly			1						3	3
Salmonella Birkenhead									4	1
Salmonella Bovismorbificans		1			1				5	5
Salmonella Cannonhill				1					1	0
Salmonella Cerro									2	2
Salmonella Chester							1		6	18
Salmonella Choleraesuis bv Australia				1					4	9
Salmonella Choleraesuis bv Decatur									7	8
Salmonella Corvallis			1						2	3
Salmonella Eastbourne									2	1
Salmonella Emmstad									1	0
Salmonella Enteritidis					1				6	43
Salmonella Fremantle subsp II	1								3	3
Salmonella Gaminara									1	0
Salmonella Give									4	2
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss									2	1
Salmonella Infantis		2			1	1			19	15
Salmonella Irumu									1	0
Salmonella Johannesburg				1					2	1
Salmonella Kalumburu	1			1					2	0
Salmonella Kentucky						1			1	3
Salmonella Kiambu									2	1
Salmonella Kottbus					1				2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis					1				1	0
Salmonella Mississippi									1	1
Salmonella Muenchen		1		3		1			10	19
Salmonella Newport	1								7	9
Salmonella Oranienburg			1			2			5	3
Salmonella Orion					2				5	2
Salmonella Paratyphi B bv Java		1							1	21
Salmonella Poona	2								4	1
Salmonella Potsdam			1						7	7
Salmonella Reading	1	1							6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	3

Weekly Report for period 16-APR-21 to 10-JUN-21

	22/04	29/04	06/05	13/05	20/05	27/05	03/06	10/06	Cumulative Total to end of Week 23	
									2021	2020
Salmonella Total	26	19	14	17	23	21	17	3	548	953
Serotype/Phage										
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		1	1		1				17	27
Salmonella Senftenberg	1								2	1
Salmonella Singapore				1			1		3	4
Salmonella Stanley		1				1			4	7
Salmonella Tennessee							1		3	0
Salmonella Typhimurium	15	8	6	7	11	11	4	1	291	620
Salmonella Urbana					1				2	0
Salmonella Virchow		1				1	1		11	15
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species	1	1	3	1	3	1	9	2	46	48
Salmonella subsp I ser 16:l,v:-									2	2