



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 30-APR-21 to 24-JUN-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

**[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)**

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				2					7	7	15	0	1.7	0.0
Hepatitis B (unspecified)	4	10	13	11	5	4	6	7	315	225	216	22	49.1	0.4
Hepatitis C (newly acquired)	1	3	1	1	1	1	1	1	31	52	50	4	9.0	0.4
Hepatitis C (unspecified)	17	13	15	22	13	13	10	14	491	374	439	50	74.5	0.7
Hepatitis D		1							3	0	7	0	0.3	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	40	41	51	44	54	34	54	12	1320	1252	1474	154	224.3	0.7
Cryptosporidiosis	5	1	3	4	4	2	1		70	458	106	7	12.5	0.6
Hepatitis A									1	6	17	0	0.5	0.0
Listeriosis					1				3	1	5	1	0.5	1.9
Rotavirus	1	1	3	2	2	2	8	2	66	110	183	14	33.2	0.4
STEC/VTEC infection	2	1	2	1	1	1	3		52	65	79	5	4.3	1.2
Salmonellosis	14	18	22	22	16	14	8	3	570	1057	1096	41	151.9	0.3
Shigellosis	1	2	6	3	3		3		45	152	204	6	15.1	0.4
Typhoid									1	3	12	0	0.5	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis		2		1	1		1		18	8	3	2	1.5	1.4
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	217	230	206	205	228	193	204	60	5163	5362	5811	685	871.5	0.8
Gonorrhoea	56	63	44	64	56	53	56	9	1304	1934	1995	174	267.1	0.7
Syphilis (congenital)									4	1	1	1	0.1	7.5
Syphilis - Infectious	21	17	16	18	23	30	26	17	459	338	286	96	36.7	2.6
Syphilis - Non-Infectious		5	6	5	4	5	3	1	89	106	111	13	13.3	1.0
<b>Vaccine preventable diseases</b>														
H. influenzae type b							1		1	1	1	1	0.1	7.5
Influenza	2	1	3			1	1		19	1179	14262	2	1467.6	0.0
Mumps						1			2	9	14	1	7.0	0.1
Pertussis			1					1	12	101	323	1	68.1	0.0
Pneumococcal infection	1	3	3	3	2	6	7	1	50	62	92	16	21.2	0.8
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	8	5	6	9	4	6	7	1	182	215	294	18	46.9	0.4
Varicella (shingles)	56	38	47	41	39	42	25	5	1229	1190	1066	111	160.7	0.7
Varicella (unspecified)	32	28	40	26	43	38	38	23	838	672	682	142	116.7	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus				1					6	13	7	0	1.9	0.0
Dengue fever		1							1	62	184	0	20.6	0.0
Malaria		2							6	26	31	0	3.6	0.0
Ross River virus	23	21	23	19	16	13	9	3	440	173	235	41	29.9	1.4
Typhus			2		1				9	15	9	1	1.9	0.5
<b>Zoonotic diseases</b>														
Leptospirosis			1						2	1	3	0	0.2	0.0
Q Fever	1			1		1			3	4	4	1	0.7	1.5
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis		1							2	1	5	0	0.3	0.0
COVID-19	9	2	1	1	1	1	1		149	597	0	3	5.9	0.5
Creutzfeldt-Jakob disease									2	3	4	0	0.4	0.0
Legionellosis	3	2	1	4	6		2		36	40	16	8	4.9	1.6
Leprosy				1					1	0	0	0	0.2	0.0
Melioidosis			1						3	4	4	0	0.4	0.0
Meningococcal infection									6	5	10	0	1.5	0.0
Tuberculosis	1	2	3	2	3	1	2	4	58	54	55	10	10.9	0.9
<b>Grand Total</b>	<b>515</b>	<b>514</b>	<b>520</b>	<b>513</b>	<b>527</b>	<b>462</b>	<b>477</b>	<b>165</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 25			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)				2					6	5	10	0	1.3	0.0
Hepatitis B (unspecified)	4	8	10	9	3	4	4	5	228	193	188	16	41.4	0.4
Hepatitis C (newly acquired)		2	1	1	1	1	1		27	39	38	3	6.5	0.5
Hepatitis C (unspecified)	13	9	12	13	9	11	7	11	351	264	297	38	52.8	0.7
Hepatitis D		1							3	0	7	0	0.3	0.0
<b>Enteric diseases</b>														
Campylobacteriosis	31	31	39	32	43	28	42	9	1029	1006	1202	122	180.2	0.7
Cryptosporidiosis		1	1	2	1		1		26	399	52	2	8.2	0.2
Hepatitis A									1	5	15	0	0.4	0.0
Listeriosis									1	0	5	0	0.5	0.0
Rotavirus	1	1	3	2	2	2	8	1	60	87	158	13	20.9	0.6
STEC/VTEC infection	2		2	1	1	1	3		39	52	59	5	3.0	1.7
Salmonellosis	11	11	15	19	7	11	7	3	400	804	849	28	114.1	0.2
Shigellosis		1			2		1		10	76	139	3	8.0	0.4
Vibrio parahaemolyticus									3	2	11	0	0.5	0.0
Yersiniosis		2		1	1		1		13	7	2	2	1.2	1.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	157	186	162	158	167	155	155	52	4077	4166	4548	529	676.3	0.8
Gonorrhoea	35	41	32	41	39	29	33	6	788	1345	1463	107	180.1	0.6
Syphilis (congenital)									0	1	0	0	0.1	0.0
Syphilis - Infectious	14	11	11	10	17	19	20	15	271	218	156	71	24.7	2.9
Syphilis - Non-Infectious		5	4	3		1			57	90	73	1	9.9	0.1
<b>Vaccine preventable diseases</b>														
H. influenzae type b							1		1	0	1	1	0.1	15.0
Influenza	1					1	1		9	946	11102	2	1181.5	0.0
Pertussis			1					1	10	80	254	1	50.0	0.0
Pneumococcal infection	1	2	3	3	2	4	5	1	33	23	61	12	12.1	1.0
Rubella (non-congenital)									1	0	1	0	0.0	0.0
Varicella (chicken pox)	7	3	6	8	2	5	6		136	151	211	13	36.1	0.4
Varicella (shingles)	39	28	36	32	27	25	15	2	873	856	759	69	114.6	0.6
Varicella (unspecified)	29	25	34	22	37	33	37	22	777	647	656	129	111.1	1.2
<b>Vector-borne diseases</b>														
Malaria		2							5	20	27	0	2.8	0.0
Ross River virus	9	9	13	8	9	6	7	2	231	97	165	24	17.9	1.3
Typhus			1						1	8	7	0	1.1	0.0
<b>Zoonotic diseases</b>														
Q Fever				1		1			2	2	1	1	0.3	3.8
<b>Other diseases</b>														
COVID-19	2	1			1	1	1		63	390	0	3	3.1	1.0
Creutzfeldt-Jakob disease									2	3	3	0	0.2	0.0
Legionellosis	2	1		2	4		1		21	23	14	5	3.5	1.4
Leprosy				1					1	0	0	0	0.2	0.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	2	3	0	1.0	0.0
Tuberculosis	1	2	3	2	3	1	2	4	55	52	48	10	9.7	1.0
<b>Grand Total</b>	<b>359</b>	<b>383</b>	<b>389</b>	<b>373</b>	<b>378</b>	<b>339</b>	<b>359</b>	<b>134</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.1			0.3		(1)	0.4
Hepatitis B (unspecified)		3 (12)	8.6	2	5 (11)	10.5	3	8 (17)	13.0
Hepatitis C (newly acquired)		(2)	0.4		2 (4)	1.4		1 (4)	2.1
Hepatitis C (unspecified)	3	6 (4)	8.0	4	13 (10)	18.5	4	19 (24)	23.2
Hepatitis D			0.3						0.1
<b>Enteric diseases</b>									
Campylobacteriosis	6	51 (43)	51.2	1	32 (51)	46.9	2	39 (37)	47.0
Cryptosporidiosis		1	0.4		1 (2)	1.8		(1)	1.5
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		4 (4)	3.4		3	1.7	1	6 (5)	3.3
STEC/VTEC infection		3 (2)	1.9		1	1.5		1 (3)	2.1
Salmonellosis	1	9 (41)	19.3	2	11 (39)	16.9		8 (32)	20.0
Shigellosis		1 (2)	0.4		(1)	0.5		2 (1)	0.5
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2 (1)	0.7		(1)	0.5			0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	13	166 (165)	172.3	20	165 (204)	179.4	19	198 (241)	222.5
Gonorrhoea	1	24 (46)	30.2	3	34 (59)	32.8	2	49 (76)	47.8
Syphilis (congenital)									
Syphilis - Infectious	4	22 (12)	7.4	3	21 (11)	13.6	8	28 (16)	17.4
Syphilis - Non-Infectious		(6)	1.8			2.6		1 (8)	3.7
<b>Vaccine preventable diseases</b>									
H. influenzae type b					1	0.2			
Influenza		(4)	0.5		2 (6)	0.3		(5)	0.4
Mumps									
Pertussis		(2)	0.3			0.8	1	1 (1)	0.4
Pneumococcal infection	1	4 (4)	1.2		6 (1)	1.8		2 (2)	1.6
Rubella (non-congenital)			0.1						
Varicella (chicken pox)		3 (10)	7.2		7 (13)	7.1		3 (12)	4.9
Varicella (shingles)		26 (55)	44.0	1	26 (51)	44.0	1	17 (47)	35.4
Varicella (unspecified)	9	49 (43)	38.1	7	42 (48)	43.1	6	38 (37)	29.0
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever									
Malaria		(1)	0.1		(1)	0.2			0.4
Ross River virus		5	10.1	1	9 (10)	12.2	1	10 (2)	10.4
Typhus						0.2			
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever		1	0.1						0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		(2)	3.5		1 (3)	1.5		2 (9)	3.7
Creutzfeldt-Jakob disease		(1)	0.1						0.1
Legionellosis		3 (1)	1.6		1 (2)	0.8		1 (2)	0.5
Leprosy									0.1
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis		3 (1)	2.0		1 (1)	2.3	4	6 (2)	3.4
<b>Grand Total</b>	<b>38</b>	<b>386 (464)</b>		<b>44</b>	<b>384 (529)</b>		<b>52</b>	<b>440 (585)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (2)	7.7			4.9			17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	5 (3)	18.1		2 (5)	31.0		(2)	24.0
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		9 (15)	58.6	1	6	55.4	1	4 (3)	44.1
Cryptosporidiosis		3 (1)	6.0			6.5			
Hepatitis A									
Listeriosis		1	1.1						
Rotavirus		(3)	0.5			3.3			
STEC/VTEC infection			4.4			1.6			
Salmonellosis		2 (13)	20.3		3 (2)	13.0		1 (2)	32.0
Shigellosis			0.5			1.6			2.7
Vibrio parahaemolyticus									
Yersiniosis					(1)	1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	33 (50)	139.7		12 (10)	117.4	3	8 (4)	92.1
Gonorrhoea		4 (11)	16.4		(1)	3.3		2 (4)	24.0
Syphilis (congenital)									
Syphilis - Infectious		2 (2)	4.4		(1)	6.5		(1)	4.0
Syphilis - Non-Infectious	1	1	1.6			1.6		2	8.0
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		(1)	1.6		(1)	4.9		(1)	1.3
Mumps									
Pertussis			1.1						
Pneumococcal infection			0.5					(1)	5.3
Rubella (non-congenital)									
Varicella (chicken pox)	1	1 (7)	7.7		(1)	16.3			6.7
Varicella (shingles)		14 (34)	80.5		6 (11)	89.7	2	8 (3)	60.1
Varicella (unspecified)			3.3	1	7	27.7			12.0
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Dengue fever									
Malaria									
Ross River virus		6 (2)	40.0			79.9		2	38.7
Typhus			0.5		(1)	3.3			1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1 (1)	3.8			1.6			1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis			0.5			1.6			
<b>Grand Total</b>	<b>8</b>	<b>84 (145)</b>		<b>2</b>	<b>36 (34)</b>		<b>6</b>	<b>27 (21)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			11.6			9.7		2 (2)	31.8
Hepatitis B (unspecified)		1							
Hepatitis C (newly acquired)	1	1 (1)	3.3						3.3
Hepatitis C (unspecified)	1	3 (4)	34.8		(3)	27.0		(1)	23.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		2 (5)	53.0		(2)	50.2		6 (3)	53.6
Cryptosporidiosis		(1)	1.7			3.9			3.3
Hepatitis A									
Listeriosis						1.9			1.7
Rotavirus						1.9			1.7
STEC/VTEC infection		(1)	3.3						
Salmonellosis		2 (3)	18.2			17.4		3 (4)	56.9
Shigellosis			13.3		(1)	7.7		(3)	8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)		20 (26)	227.1	1	19 (16)	249.1		25 (14)	246.1
Gonorrhoea		5 (16)	56.4	1	9 (14)	220.2		13 (14)	165.8
Syphilis (congenital)						1.9	1	1	1.7
Syphilis - Infectious			11.6		6 (1)	36.7		4 (7)	118.9
Syphilis - Non-Infectious		(1)	5.0		5 (1)	21.2		3 (1)	6.7
<b>Vaccine preventable diseases</b>									
H. influenzae type b									
Influenza		(1)	1.7						1.7
Mumps					1	3.9			
Pertussis									
Pneumococcal infection		(1)	1.7		(4)	1.9		1 (2)	6.7
Rubella (non-congenital)								(1)	3.3
Varicella (chicken pox)			3.3		1 (5)	15.4			
Varicella (shingles)		4 (3)	29.8	1	5 (5)	61.8		2 (2)	40.2
Varicella (unspecified)		3 (6)	26.5			1.9		1	3.3
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Dengue fever									1.7
Malaria									
Ross River virus		5	33.2			34.8	1	2 (1)	11.7
Typhus			1.7					1	5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			5.0					2	3.3
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis						1.9			
<b>Grand Total</b>	<b>2</b>	<b>46 (69)</b>		<b>3</b>	<b>46 (52)</b>		<b>2</b>	<b>66 (55)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (1)	0.3
Hepatitis B (unspecified)		(3)	71.8	7	22 (47)	7.1
Hepatitis C (newly acquired)				1	4 (14)	1.1
Hepatitis C (unspecified)	1	2 (2)	57.4	14	50 (58)	16.2
Hepatitis D				0	0 (0)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	1	4 (1)	48.8	12	154 (160)	49.8
Cryptosporidiosis		1	60.3	0	7 (5)	2.6
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	1 (0)	0.1
Rotavirus				2	14 (14)	2.5
STEC/VTEC infection				0	5 (6)	2.0
Salmonellosis		1 (6)	109.1	3	41 (142)	21.5
Shigellosis		3 (4)	40.2	0	6 (12)	1.7
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	2 (3)	0.7
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		33 (43)	677.8	60	685 (780)	194.7
Gonorrhoea	1	32 (33)	591.6	9	174 (278)	49.2
Syphilis (congenital)			2.9	1	1 (1)	0.2
Syphilis - Infectious		10 (8)	201.0	17	96 (59)	17.3
Syphilis - Non-Infectious		1	8.6	1	13 (17)	3.1
<b>Vaccine preventable diseases</b>						
H. influenzae type b				0	1 (0)	0.0
Influenza			2.9	0	2 (19)	0.7
Mumps				0	1 (0)	0.1
Pertussis				1	1 (3)	0.5
Pneumococcal infection		3 (4)	17.2	1	16 (20)	1.9
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		3	11.5	1	18 (49)	6.9
Varicella (shingles)		3 (4)	80.4	5	111 (216)	46.3
Varicella (unspecified)			2.9	23	142 (134)	31.6
<b>Vector-borne diseases</b>						
Barmah Forest virus			14.4	0	0 (0)	0.2
Dengue fever				0	0 (0)	0.0
Malaria				0	0 (2)	0.2
Ross River virus		2	31.6	3	41 (15)	16.6
Typhus				0	1 (2)	0.3
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	1 (1)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)			5.7	0	0 (0)	0.1
COVID-19				0	3 (14)	7.4
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Legionellosis			2.9	0	8 (6)	1.4
Leprosy				0	0 (0)	0.0
Melioidosis			5.7	0	0 (0)	0.1
Meningococcal infection			2.9	0	0 (1)	0.2
Tuberculosis				4	10 (4)	1.5
<b>Grand Total</b>	<b>3</b>	<b>98 (108)</b>		<b>165</b>	<b>1631 (2084)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 25	
	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	2021	2020
	<b>Salmonella Total</b>	<b>14</b>	<b>18</b>	<b>22</b>	<b>22</b>	<b>16</b>	<b>14</b>	<b>8</b>	<b>3</b>	<b>570</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	2
Salmonella Agona									3	4
Salmonella Anatum		1		2					7	10
Salmonella Bahrenfeld									1	1
Salmonella Ball									1	0
Salmonella Bareilly	1								3	3
Salmonella Birkenhead					1				5	2
Salmonella Bovismorbificans			1						5	5
Salmonella Cannonhill		1							1	0
Salmonella Cerro									2	2
Salmonella Chester					1	1			7	19
Salmonella Choleraesuis bv Australia		1							4	11
Salmonella Choleraesuis bv Decatur									7	8
Salmonella Corvallis	1								2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis			1						6	43
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	2
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvitvingfoss									2	3
Salmonella Infantis			1	1					19	17
Salmonella Irumu									1	0
Salmonella Johannesburg		1							2	1
Salmonella Kalumburu		1							2	0
Salmonella Kentucky				1					1	3
Salmonella Kiambu									2	1
Salmonella Kottbus			1						2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis			1						1	0
Salmonella Mississippi									1	1
Salmonella Muenchen		3		1					10	20
Salmonella Newport					1		1		9	9
Salmonella Oranienburg	1			2					5	3
Salmonella Orion			2			1			6	2
Salmonella Paratyphi B bv Java					1				2	21
Salmonella Poona									4	1
Salmonella Potsdam	1								7	7
Salmonella Reading									6	2
Salmonella Richmond									1	0
Salmonella Rissen									2	4



# Weekly Report for period 30-APR-21 to 24-JUN-21

	06/05	13/05	20/05	27/05	03/06	10/06	17/06	24/06	Cumulative Total to end of Week 25	
									2021	2020
<b>Salmonella Total</b>	<b>14</b>	<b>18</b>	<b>22</b>	<b>22</b>	<b>16</b>	<b>14</b>	<b>8</b>	<b>3</b>	<b>570</b>	<b>1015</b>
<b>Serotype/Phage</b>										
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul	1		1						17	27
Salmonella Senftenberg									2	2
Salmonella Singapore		1		1					3	4
Salmonella Stanley				1					4	8
Salmonella Tennessee					1				3	0
Salmonella Typhimurium	6	8	12	12	8	10	3		310	665
Salmonella Urbana			1						2	0
Salmonella Virchow				1	2				12	15
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species	3	1	1		1	2	4	3	42	52
Salmonella subsp I ser 16:l,v:-									2	2