



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 21-MAY-21 to 15-JUL-21

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1								6	7	15	0	1.9	0.0
Hepatitis B (unspecified)	12	5	4	6	9	5	8	6	337	271	238	28	50.7	0.6
Hepatitis C (newly acquired)	1	1	1	2	1	1	1		34	59	58	3	8.3	0.4
Hepatitis C (unspecified)	21	13	13	9	12	12	16	8	523	423	492	48	75.6	0.6
Hepatitis D				1					4	0	7	1	0.5	2.1
Enteric diseases														
Campylobacteriosis	43	56	37	60	55	53	46	14	1487	1384	1674	168	239.8	0.7
Cryptosporidiosis	4	4	2	2	2	3			76	463	111	5	10.6	0.5
Hepatitis A									1	6	18	0	0.6	0.0
Listeriosis		1							3	1	5	0	0.6	0.0
Rotavirus	2	2	2	8	7	2	7		80	122	234	16	31.3	0.5
STEC/VTEC infection	1	1	2	2	1	1		1	55	70	86	3	5.2	0.6
Salmonellosis	22	16	14	9	11	15	7	2	604	1142	1203	35	137.9	0.3
Shigellosis	3	3		3	1	1			47	160	222	2	16.0	0.1
Typhoid									1	3	13	0	0.6	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis	1	1					1		18	8	5	1	2.0	0.5
Sexually transmissible infections														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	209	229	201	206	193	215	175	43	5750	6005	6460	626	864.4	0.7
Gonorrhoea	65	58	59	56	50	54	47	5	1461	2119	2240	156	267.0	0.6
Syphilis (congenital)									3	2	1	0	0.1	0.0
Syphilis - Infectious	21	22	22	15	14	17	10	4	465	389	315	45	37.1	1.2
Syphilis - Non-Infectious	4	4	7	5	10	10	4	3	122	118	124	27	13.4	2.0
Vaccine preventable diseases														
Diphtheria							1		1	0	0	1	0.0	0.0
Influenza			1	2	2		1	1	24	1187	19948	4	1539.6	0.0
Mumps			1						2	9	14	0	4.9	0.0
Pertussis		2			1	1			16	103	352	2	73.3	0.0
Pneumococcal infection	3	2	7	7	7	7	8		72	78	116	22	22.9	1.0
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	9	4	9	10	8	6	9	1	212	246	325	24	53.4	0.4
Varicella (shingles)	43	43	46	42	46	32	26	3	1364	1325	1177	107	161.5	0.7
Varicella (unspecified)	24	41	35	30	28	29	36	25	912	756	780	118	119.7	1.0
Vector-borne diseases														
Barmah Forest virus	1				1				8	14	8	1	1.4	0.7
Dengue fever									1	62	198	0	19.5	0.0
Malaria							1		7	27	36	1	3.5	0.3
Ross River virus	18	19	15	15	14	9	9		486	181	260	32	23.1	1.4
Typhus		1					1		10	15	11	1	1.9	0.5
Zoonotic diseases														
Leptospirosis	1								3	1	3	0	0.1	0.0
Q Fever	1								3	4	6	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis									2	1	5	0	0.5	0.0
Amoebic meningitis				1					1	0	0	0	0.0	0.0
COVID-19	1	1	1	1	3	7	4	2	165	636	0	16	5.3	3.0
Creutzfeldt-Jakob disease									2	3	4	0	0.4	0.0
Legionellosis	4	6		2		1			37	45	17	1	4.1	0.2
Leprosy	1							1	2	0	0	1	0.3	3.8
Melioidosis									3	5	4	0	0.4	0.0
Meningococcal infection									6	7	13	0	1.8	0.0
Tuberculosis	2	3	1	2	5	3	6	6	74	62	62	20	10.5	1.9
Grand Total	518	538	480	495	482	484	424	125						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2021	2020	2019			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1								5	5	10	0	1.3	0.0
Hepatitis B (unspecified)	10	3	4	4	8	3	7	6	248	229	208	24	42.6	0.6
Hepatitis C (newly acquired)	1	1	1	2		1	1		30	44	43	2	6.0	0.3
Hepatitis C (unspecified)	12	9	11	6	9	11	13	7	377	298	340	40	53.1	0.8
Hepatitis D				1					4	0	7	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	32	44	30	48	41	40	35	13	1158	1111	1360	129	191.4	0.7
Cryptosporidiosis	2	1		2	1	1			29	404	56	2	8.0	0.3
Hepatitis A									1	5	16	0	0.5	0.0
Listeriosis									1	0	5	0	0.6	0.0
Rotavirus	2	2	2	8	5	2	6		72	98	205	13	21.5	0.6
STEC/VTEC infection	1	1	2	2	1	1		1	42	53	66	3	3.9	0.8
Salmonellosis	19	7	11	8	8	9	5	2	423	868	932	24	104.6	0.2
Shigellosis		2		1	1				11	77	152	1	9.2	0.1
Vibrio parahaemolyticus									3	2	11	0	0.5	0.0
Yersiniosis	1	1					1		13	7	4	1	1.7	0.6
Sexually transmissible infections														
Chlamydia (genital)	158	173	161	159	144	159	141	41	4530	4666	5051	485	671.3	0.7
Gonorrhoea	42	40	31	32	35	40	39	5	904	1464	1632	119	181.9	0.7
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	12	17	12	11	6	11	10	3	268	255	171	30	24.5	1.2
Syphilis - Non-Infectious	2		3	1	6	6	3	2	80	99	83	17	9.5	1.8
Vaccine preventable diseases														
Influenza			1	1	2				11	951	15804	2	1249.3	0.0
Pertussis		2			1	1			14	82	280	2	54.7	0.0
Pneumococcal infection	3	2	5	4	4	4	2		42	27	75	10	12.6	0.8
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	8	2	7	9	6	5	4	1	157	175	233	16	40.0	0.4
Varicella (shingles)	34	28	29	30	36	23	14	2	969	960	842	75	115.0	0.7
Varicella (unspecified)	20	37	31	29	25	27	31	25	850	727	749	108	113.9	0.9
Vector-borne diseases														
Barmah Forest virus					1				1	3	2	1	0.3	3.8
Malaria							1		6	21	31	1	2.8	0.4
Ross River virus	7	12	8	9	9	3	4		254	103	177	16	14.2	1.1
Typhus							1		2	8	8	1	1.2	0.8
Zoonotic diseases														
Q Fever	1								2	2	2	0	0.3	0.0
Other diseases														
COVID-19		1	1	1	2	6	3	2	76	414	0	13	3.4	3.8
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis	2	4		1		1			22	27	15	1	3.1	0.3
Leprosy	1							1	2	0	0	1	0.3	3.8
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	3	5	0	1.2	0.0
Tuberculosis	2	3	1	2	5	2	3	6	67	60	54	16	9.6	1.7
Grand Total	373	392	351	370	357	356	324	117						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		(1)	0.1			0.3		(1)	0.3
Hepatitis B (unspecified)	1	5 (11)	9.3	2	7 (15)	11.3	3	12 (23)	14.4
Hepatitis C (newly acquired)		(2)	0.4		1 (2)	1.5		1 (1)	2.3
Hepatitis C (unspecified)	2	15 (7)	9.7	3	14 (13)	19.7	2	11 (22)	24.0
Hepatitis D			0.3					1	0.3
Enteric diseases									
Campylobacteriosis	4	53 (55)	58.3	5	38 (45)	52.9	4	38 (47)	52.0
Cryptosporidiosis		1 (4)	0.7		1 (2)	2.0			1.5
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		6 (3)	4.2		5 (4)	2.4		2 (5)	3.4
STEC/VTEC infection		1 (2)	2.0		1	1.7	1	1	2.2
Salmonellosis	1	8 (42)	20.4		5 (26)	17.5	1	11 (24)	21.6
Shigellosis			0.4			0.5		1 (2)	0.7
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		1 (1)	0.7			0.5			0.7
Sexually transmissible infections									
Chlamydia (genital)	12	148 (213)	192.0	17	150 (199)	200.7	12	187 (254)	245.5
Gonorrhoea	1	34 (37)	35.4	3	31 (67)	37.4	1	54 (61)	54.4
Syphilis (congenital)									
Syphilis - Infectious	1	11 (14)	7.8	1	6 (10)	13.9	1	13 (19)	16.3
Syphilis - Non-Infectious		3 (4)	2.3	2	5 (2)	3.6		9 (5)	5.4
Vaccine preventable diseases									
Diphtheria									
Influenza		1 (2)	0.7		1 (1)	0.5		(5)	0.4
Mumps									
Pertussis		(1)	0.5		1 (2)	0.9		1 (1)	0.5
Pneumococcal infection		5 (1)	1.8		3 (1)	2.3		2 (2)	1.9
Rubella (non-congenital)			0.1						
Varicella (chicken pox)	1	10 (14)	9.1		1 (9)	7.2		5 (10)	5.8
Varicella (shingles)	1	24 (53)	48.4		30 (53)	50.0	1	21 (37)	38.7
Varicella (unspecified)	6	35 (39)	41.1	13	39 (44)	47.3	6	34 (30)	32.1
Vector-borne diseases									
Barmah Forest virus					1	0.2			
Dengue fever									
Malaria		(1)	0.1			0.2		1 (1)	0.5
Ross River virus		5	11.0		4 (8)	13.1		7 (1)	11.8
Typhus						0.2		1	0.1
Zoonotic diseases									
Leptospirosis									
Q Fever			0.1						0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		8 (3)	4.6	2	4 (6)	2.1		1 (18)	3.8
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis		1 (1)	1.8		(1)	0.8		(3)	0.5
Leprosy							1	1	0.3
Melioidosis									0.1
Meningococcal infection						0.2		(1)	0.1
Tuberculosis	2	2 (3)	2.3	2	4 (1)	2.9	2	10 (4)	4.3
Grand Total	32	377 (514)		50	352 (511)		35	425 (577)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (2)	7.7		(1)	4.9		(2)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		(9)	17.5		(1)	31.0		(2)	24.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	15 (17)	66.8		8 (2)	68.5		6 (4)	50.7
Cryptosporidiosis			6.0		1	8.2		1	1.3
Hepatitis A									
Listeriosis			1.1						
Rotavirus		(2)	0.5		1	4.9			
STEC/VTEC infection		(1)	4.4			1.6			
Salmonellosis		1 (13)	20.8		(1)	13.0			32.0
Shigellosis			0.5		1	3.3			2.7
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
Sexually transmissible infections									
Chlamydia (genital)		33 (45)	156.1		7 (7)	128.8	1	12 (14)	105.5
Gonorrhoea		2 (10)	17.5		2 (1)	6.5		2 (4)	26.7
Syphilis (congenital)									
Syphilis - Infectious		1 (4)	4.9		(2)	6.5		1	5.3
Syphilis - Non-Infectious		1	1.6			1.6			8.0
Vaccine preventable diseases									
Diphtheria					1	1.6			
Influenza		(2)	1.6		(1)	4.9			2.7
Mumps									
Pertussis		(1)	1.1						
Pneumococcal infection		(1)	1.1					1 (1)	6.7
Rubella (non-congenital)									
Varicella (chicken pox)		4 (6)	9.3		(1)	16.3		1	8.0
Varicella (shingles)		8 (18)	86.5	1	8 (8)	107.6		5 (6)	64.1
Varicella (unspecified)			2.2		5	31.0		1	13.4
Vector-borne diseases									
Barmah Forest virus			0.5						
Dengue fever									
Malaria									
Ross River virus		3 (1)	42.2		1	83.2		2	44.1
Typhus			0.5			3.3			1.3
Zoonotic diseases									
Leptospirosis									1.3
Q Fever									1.3
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			3.8			1.6		(1)	1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis		2	1.6			1.6			
Grand Total	1	71 (132)		1	35 (25)		1	32 (34)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(2)	11.6	1	11.6				31.8
Hepatitis C (newly acquired)		1	3.3						3.3
Hepatitis C (unspecified)	1	2 (2)	38.1	1 (2)	29.0		(1)		23.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis		6 (7)	63.0	2 (2)	54.1		(1)		53.6
Cryptosporidiosis			1.7		3.9				3.3
Hepatitis A									
Listeriosis									
Rotavirus					1.9				1.7
STEC/VTEC infection		(2)	3.3		1.9				1.7
Salmonellosis		(2)	18.2	1 (2)	19.3		5 (6)		65.3
Shigellosis		(2)	13.3		7.7		(3)		8.4
Vibrio parahaemolyticus									
Yersiniosis					1.9				3.3
Sexually transmissible infections									
Chlamydia (genital)		22 (27)	263.6	14 (19)	276.2		18 (21)		276.3
Gonorrhoea		1 (4)	58.0	4 (10)	226.0		10 (16)		187.5
Syphilis (congenital)					1.9				
Syphilis - Infectious	1	1 (1)	14.9	1 (2)	32.8		6 (8)		128.9
Syphilis - Non-Infectious		1	6.6	3 (3)	29.0		2 (2)		10.0
Vaccine preventable diseases									
Diphtheria									
Influenza		(1)	1.7				1		3.3
Mumps					3.9				
Pertussis									
Pneumococcal infection		3 (2)	6.6	1 (4)	3.9		4 (3)		13.4
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	3.3	2 (1)	19.3		(2)		6.7
Varicella (shingles)		1 (3)	33.2	3 (8)	67.6		1 (1)		41.9
Varicella (unspecified)		3 (5)	29.8		1.9				
Vector-borne diseases									
Barmah Forest virus			1.7						
Dengue fever									1.7
Malaria									
Ross River virus		7	46.4		36.7		(2)		11.7
Typhus			1.7						5.0
Zoonotic diseases									
Leptospirosis			1.7						
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			5.0						3.3
Leprosy									
Melioidosis									
Meningococcal infection					1.9				
Tuberculosis		1	1.7		1.9				
Grand Total	2	49 (61)		33 (53)			47 (66)		

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (2)	0.2
Hepatitis B (unspecified)		2 (4)	77.5	6	28 (60)	7.9
Hepatitis C (newly acquired)				0	3 (7)	1.2
Hepatitis C (unspecified)		2 (2)	60.3	8	48 (61)	17.4
Hepatitis D				0	1 (0)	0.2
Enteric diseases						
Campylobacteriosis		1 (1)	48.8	14	168 (182)	56.1
Cryptosporidiosis		1	63.2	0	5 (6)	2.9
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (0)	0.1
Rotavirus				0	16 (15)	3.0
STEC/VTEC infection				1	3 (6)	2.1
Salmonellosis		1 (2)	112.0	2	35 (120)	22.8
Shigellosis		(5)	40.2	0	2 (13)	1.8
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	1 (1)	0.7
Sexually transmissible infections						
Chlamydia (genital)	1	29 (40)	761.1	43	626 (844)	216.8
Gonorrhoea		15 (40)	643.3	5	156 (251)	55.1
Syphilis (congenital)			2.9	0	0 (1)	0.1
Syphilis - Infectious		4 (5)	212.5	4	45 (65)	17.5
Syphilis - Non-Infectious		1	11.5	3	27 (16)	4.4
Vaccine preventable diseases						
Diphtheria				0	1 (0)	0.0
Influenza	1	1 (1)	5.7	1	4 (13)	0.9
Mumps				0	0 (0)	0.1
Pertussis				0	2 (5)	0.6
Pneumococcal infection		3 (4)	25.8	0	22 (19)	2.7
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		1	14.4	1	24 (44)	8.0
Varicella (shingles)		6 (3)	100.5	3	107 (190)	51.4
Varicella (unspecified)			2.9	25	118 (119)	34.4
Vector-borne diseases						
Barmah Forest virus			14.4	0	1 (1)	0.3
Dengue fever				0	0 (0)	0.0
Malaria				0	1 (2)	0.3
Ross River virus		(1)	31.6	0	32 (13)	18.3
Typhus				0	1 (0)	0.4
Zoonotic diseases						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			5.7	0	0 (0)	0.1
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				2	16 (42)	8.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	1 (6)	1.4
Leprosy				1	1 (0)	0.0
Melioidosis		(1)	5.7	0	0 (1)	0.1
Meningococcal infection			2.9	0	0 (2)	0.2
Tuberculosis				6	20 (8)	2.0
Grand Total	2	67 (109)		125	1515 (2116)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 28	
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2021	2020
	Salmonella Total	22	16	14	9	11	15	7	2	604
Serotype/Phage										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	4
Salmonella Anatum	2								7	11
Salmonella Bahrenfeld						1			2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead		1							5	2
Salmonella Bovismorbificans									5	6
Salmonella Bredeney					1				1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chester		1	1						7	19
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	8
Salmonella Corvallis									2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis						1	1		8	44
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	0
Salmonella Hvittingfoss						1			3	4
Salmonella Infantis	1								20	17
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky	1								1	3
Salmonella Kiambu									2	1
Salmonella Kirkee							1		1	0
Salmonella Kottbus									2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo					1				1	1
Salmonella Muenchen	1				2	1			13	21
Salmonella Newport		1		1					9	9
Salmonella Oranienburg	2								5	3
Salmonella Orion			1						6	2
Salmonella Paratyphi B bv Java		1		1	1	1			5	22
Salmonella Poona						1			5	1
Salmonella Potsdam									7	8

Weekly Report for period 21-MAY-21 to 15-JUL-21

	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	Cumulative Total to end of Week 28	
									2021	2020
Salmonella Total	22	16	14	9	11	15	7	2	604	1096
Serotype/Phage										
Salmonella Reading									6	2
Salmonella Richmond									1	1
Salmonella Rissen							1		3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul				1					18	30
Salmonella Senftenberg									2	2
Salmonella Singapore	1								3	4
Salmonella Stanley	1								4	8
Salmonella Tennessee		1							3	0
Salmonella Typhimurium	12	8	10	5	2	9	1		325	723
Salmonella Urbana									2	1
Salmonella Virchow	1	2			2				14	16
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species		1	2	1	2		3	2	42	55
Salmonella subsp I ser 16:l,v:-									2	3