



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 04-JUN-21 to 29-JUL-21

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

## STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								7	9	15	0	1.9	0.0
Hepatitis B (unspecified)	3	6	9	5	8	7	9	7	353	295	253	31	47.5	0.7
Hepatitis C (newly acquired)	1	2	1	1	2	1			37	62	61	3	8.7	0.3
Hepatitis C (unspecified)	13	9	12	12	15	7	20	18	559	456	521	60	78.2	0.8
Hepatitis D			1				1		5	0	7	1	0.4	2.5
<b>Enteric diseases</b>														
Campylobacteriosis	37	61	56	56	54	58	64	13	1621	1481	1821	189	252.1	0.7
Cryptosporidiosis	2	2	2	4				1	79	464	116	2	9.9	0.2
Hepatitis A									1	6	19	0	0.8	0.0
Rotavirus	2	8	8	2	7	4	8	2	95	134	267	21	29.7	0.7
STEC/VTEC infection	2	4		1	1	2			58	71	90	3	5.4	0.6
Salmonellosis	14	9	13	13	9	7	6	1	618	1199	1266	23	129.5	0.2
Shigellosis		3	1	1		3	2	2	54	165	235	7	16.7	0.4
Typhoid									1	3	13	0	0.7	0.0
Vibrio parahaemolyticus									3	2	15	0	0.7	0.0
Yersiniosis					1		1		19	8	6	2	2.0	1.0
<b>Sexually transmissible infections</b>														
Chancroid									1	0	0	0	0.0	0.0
Chlamydia (genital)	202	206	194	221	182	197	191	82	6194	6399	6884	652	873.3	0.7
Gonorrhoea	59	56	50	55	56	54	46	14	1580	2250	2380	170	269.0	0.6
Syphilis (congenital)									3	2	1	0	0.2	0.0
Syphilis - Infectious	19	13	12	13	12	20	18	10	495	409	341	60	37.9	1.6
Syphilis - Non-Infectious	7	7	10	11	5	4	4	2	135	125	130	15	13.3	1.1
<b>Vaccine preventable diseases</b>														
Diphtheria					1				1	0	0	1	0.0	0.0
H. influenzae type b								1	1	1	2	1	0.1	15.0
Influenza	1	2	2		1	2			25	1193	21179	3	1505.5	0.0
Mumps	1								2	9	14	0	4.0	0.0
Pertussis			1	1				2	18	109	363	2	79.5	0.0
Pneumococcal infection	7	7	8	8	8	4	5		83	92	133	17	24.4	0.7
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	9	10	8	6	9	8	5	2	227	269	352	24	57.1	0.4
Varicella (shingles)	46	42	50	38	36	36	40	5	1464	1431	1269	117	162.1	0.7
Varicella (unspecified)	35	30	27	25	35	25	41	28	974	837	832	129	119.6	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus			1						8	16	8	0	1.3	0.0
Dengue fever									1	62	215	0	18.5	0.0
Malaria					1		2		9	27	38	3	3.7	0.8
Ross River virus	17	12	11	9	14	3	4		503	185	268	21	22.6	0.9
Typhus					1				10	16	13	1	2.1	0.5
<b>Zoonotic diseases</b>														
Leptospirosis									2	1	3	0	0.2	0.0
Q Fever									3	4	6	0	0.6	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulonephritis					1	1			4	1	5	2	0.6	3.3
Amoebic meningitis		1							1	0	0	0	0.0	0.0
COVID-19	1	1	3	7	4	10	5	2	180	642	0	21	4.5	4.6
Creutzfeldt-Jakob disease									2	3	4	0	0.3	0.0
Legionellosis		1		1			2		38	48	18	2	3.4	0.6
Leprosy						1			2	0	0	1	0.2	5.0
Melioidosis									3	5	4	0	0.4	0.0
Meningococcal infection									6	7	13	0	2.4	0.0
Tuberculosis	1	2	5	3	6	7	2	2	79	69	67	17	10.4	1.6
<b>Grand Total</b>	<b>480</b>	<b>494</b>	<b>485</b>	<b>493</b>	<b>469</b>	<b>461</b>	<b>480</b>	<b>191</b>						

## METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2021	2020	2019			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1								6	6	10	0	1.4	0.0
Hepatitis B (unspecified)	3	4	8	3	7	6	8	6	261	250	222	27	39.9	0.7
Hepatitis C (newly acquired)	1	2		1	2	1			33	47	45	3	6.2	0.5
Hepatitis C (unspecified)	11	6	9	11	12	6	14	12	401	325	358	44	54.9	0.8
Hepatitis D			1				1		5	0	7	1	0.3	3.0
<b>Enteric diseases</b>														
Campylobacteriosis	30	49	42	41	45	46	48	11	1263	1191	1483	150	200.1	0.7
Cryptosporidiosis		2	1	1					29	405	60	0	7.5	0.0
Hepatitis A									1	5	17	0	0.6	0.0
Listeriosis									1	2	5	0	0.7	0.0
Rotavirus	2	8	6	2	6	4	7	2	86	106	230	19	21.1	0.9
STEC/VTEC infection	2	4		1		1			43	53	70	1	4.5	0.2
Salmonellosis	11	8	10	7	7	5	5		433	909	984	17	99.5	0.2
Shigellosis		1	1					1	14	79	163	3	10.1	0.3
Vibrio parahaemolyticus									3	2	11	0	0.5	0.0
Yersiniosis					1		1		14	7	5	2	1.9	1.1
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	162	159	145	164	146	162	154	72	4890	4976	5397	534	677.0	0.8
Gonorrhoea	31	32	35	41	43	37	32	12	985	1555	1744	124	181.5	0.7
Syphilis (congenital)									0	2	0	0	0.1	0.0
Syphilis - Infectious	9	10	6	8	10	9	13	7	282	267	187	39	25.0	1.6
Syphilis - Non-Infectious	3	3	6	7	3	3	2		88	104	85	8	9.5	0.8
<b>Vaccine preventable diseases</b>														
H. influenzae type b								1	1	0	1	1	0.0	0.0
Influenza	1	1	2			1			12	955	16766	1	1225.3	0.0
Pertussis			1	1				1	15	87	289	1	59.2	0.0
Pneumococcal infection	5	4	5	4	3	3	4		51	29	81	10	13.8	0.7
Rubella (non-congenital)									1	0	1	0	0.1	0.0
Varicella (chicken pox)	7	9	6	5	4	7	4	2	169	192	255	17	42.7	0.4
Varicella (shingles)	29	30	38	27	22	29	24	2	1036	1032	904	77	115.5	0.7
Varicella (unspecified)	31	29	25	24	31	23	36	24	905	803	798	114	114.1	1.0
<b>Vector-borne diseases</b>														
Barmah Forest virus			1						1	3	2	0	0.3	0.0
Malaria					1			1	7	21	32	2	3.0	0.7
Ross River virus	9	6	6	3	4			1	258	104	180	5	13.9	0.4
Typhus					1				2	8	8	1	1.2	0.8
<b>Zoonotic diseases</b>														
Q Fever									2	2	2	0	0.5	0.0
<b>Other diseases</b>														
COVID-19	1	1	2	6	3	3	1		78	418	0	7	3.1	2.2
Creutzfeldt-Jakob disease									2	3	3	0	0.3	0.0
Legionellosis		1		1					22	30	15	0	2.5	0.0
Leprosy						1			2	0	0	1	0.2	5.0
Melioidosis									1	0	2	0	0.1	0.0
Meningococcal infection									2	3	5	0	1.5	0.0
Tuberculosis	1	2	5	2	3	7	2	2	72	66	59	14	9.7	1.4
<b>Grand Total</b>	<b>350</b>	<b>371</b>	<b>361</b>	<b>360</b>	<b>354</b>	<b>354</b>	<b>361</b>	<b>154</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		(1)	0.1			0.5			0.3
Hepatitis B (unspecified)	2	10 (13)	10.1		5 (13)	11.5	4	12 (21)	15.2
Hepatitis C (newly acquired)		1 (2)	0.5		1 (1)	1.8		1 (3)	2.3
Hepatitis C (unspecified)	3	13 (10)	10.5	7	16 (15)	21.1	2	15 (24)	25.3
Hepatitis D		1	0.4						0.3
<b>Enteric diseases</b>									
Campylobacteriosis	7	46 (61)	62.2	2	48 (38)	57.9	2	56 (48)	57.9
Cryptosporidiosis		(3)	0.7		(1)	2.0			1.5
Hepatitis A									0.1
Listeriosis									0.1
Rotavirus		7 (4)	4.8	1	4 (7)	2.7	1	8 (5)	4.5
STEC/VTEC infection		(1)	2.0			1.7		1	2.3
Salmonellosis		6 (28)	21.1		4 (25)	17.9		7 (29)	21.8
Shigellosis	1	1 (3)	0.5	1	1	0.6		1 (2)	0.8
Vibrio parahaemolyticus			0.1			0.2			0.1
Yersiniosis		2	0.8			0.5			0.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	21	161 (208)	206.1	21	171 (186)	218.2	30	202 (242)	264.8
Gonorrhoea	3	29 (38)	38.0	3	32 (66)	40.2	6	63 (59)	60.3
Syphilis (congenital)									
Syphilis - Infectious	2	11 (9)	8.3	1	7 (8)	13.7	4	21 (15)	17.8
Syphilis - Non-Infectious		2 (3)	2.7		2 (1)	3.9		4 (4)	5.8
<b>Vaccine preventable diseases</b>									
Diphtheria									
H. influenzae type b							1		0.1
Influenza		1	0.8		(2)	0.5		(4)	0.4
Mumps									
Pertussis		(2)	0.5		1 (3)	1.1		(2)	0.5
Pneumococcal infection		3	2.0		1 (1)	2.4		6 (4)	2.7
Rubella (non-congenital)			0.1						
Varicella (chicken pox)	1	7 (10)	9.8		3 (14)	7.7	1	7 (9)	6.3
Varicella (shingles)		24 (50)	51.2	1	29 (55)	53.9	1	24 (35)	41.5
Varicella (unspecified)	12	49 (50)	45.1	8	41 (51)	50.0	4	24 (34)	33.2
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.2			
Dengue fever									
Malaria			0.1			0.2		2 (1)	0.7
Ross River virus		4	11.2		(2)	13.1		1 (1)	12.2
Typhus						0.2		1	0.1
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever			0.1						0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19		1 (5)	4.8		5 (6)	2.3		1 (14)	3.8
Creutzfeldt-Jakob disease			0.1						0.1
Legionellosis			1.8		(1)	0.8		(2)	0.5
Leprosy								1	0.3
Melioidosis									0.1
Meningococcal infection						0.2			0.1
Tuberculosis	1	4 (5)	2.6		4 (2)	2.9	1	6 (3)	4.7
<b>Grand Total</b>	<b>53</b>	<b>383 (506)</b>		<b>45</b>	<b>375 (498)</b>		<b>56</b>	<b>465 (561)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	8.2		(1)	4.9		(2)	17.4
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)	1	4 (8)	19.7		(1)	31.0		1 (2)	25.4
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		15 (13)	72.9		3 (4)	73.4	2	7 (5)	56.1
Cryptosporidiosis			6.0			8.2	1	1	2.7
Hepatitis A									
Listeriosis			1.1						
Rotavirus		1 (2)	1.1		1 (1)	4.9			
STEC/VTEC infection		1 (2)	4.9			1.6			
Salmonellosis		1 (9)	21.4			13.0		(3)	32.0
Shigellosis		(1)	0.5			3.3			2.7
Vibrio parahaemolyticus									
Yersiniosis						1.6			1.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	5	24 (44)	167.1	1	6 (8)	137.0	1	9 (10)	112.2
Gonorrhoea		1 (6)	18.1			6.5		1 (3)	28.0
Syphilis (congenital)									
Syphilis - Infectious		1 (2)	4.9		(2)	6.5		2 (1)	6.7
Syphilis - Non-Infectious	1	1	2.2			1.6		3	12.0
<b>Vaccine preventable diseases</b>									
Diphtheria					1	1.6			
H. influenzae type b									
Influenza		(1)	1.6			4.9			2.7
Mumps									
Pertussis		1 (1)	1.6						
Pneumococcal infection		(1)	1.1					(3)	6.7
Rubella (non-congenital)									
Varicella (chicken pox)		3 (2)	9.3		(2)	16.3		1	8.0
Varicella (shingles)	2	16 (20)	94.2		7 (11)	114.2		1 (7)	66.8
Varicella (unspecified)			2.2	1	7	35.9	2	2	14.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			0.5						
Dengue fever									
Malaria		1	0.5						
Ross River virus		5 (2)	43.8		1 (1)	84.8			44.1
Typhus		(1)	0.5			3.3			1.3
<b>Zoonotic diseases</b>									
Leptospirosis									
Q Fever									1.3
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis			3.8			1.6			1.3
Leprosy									
Melioidosis									
Meningococcal infection			0.5						1.3
Tuberculosis		1	1.6			1.6			
<b>Grand Total</b>	<b>9</b>	<b>77 (115)</b>		<b>2</b>	<b>26 (31)</b>		<b>6</b>	<b>28 (36)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	11.6		1 (1)	13.5	1	1	33.5
Hepatitis C (newly acquired)			3.3						3.3
Hepatitis C (unspecified)	1	2 (3)	39.8	1	3	32.8	2	2 (1)	26.8
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		4 (4)	66.3		5 (5)	61.8		2 (3)	56.9
Cryptosporidiosis			1.7			3.9			3.3
Hepatitis A									
Listeriosis									
Rotavirus						1.9		(3)	1.7
STEC/VTEC infection		(2)	3.3			1.9			1.7
Salmonellosis		(4)	18.2	1	1 (3)	21.2		3 (7)	67.0
Shigellosis		1 (4)	14.9			7.7			8.4
Vibrio parahaemolyticus									
Yersiniosis						1.9			3.3
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	1	18 (24)	280.1	2	16 (20)	299.3		15 (22)	293.0
Gonorrhoea		3 (8)	63.0	1	13 (5)	247.2		10 (16)	199.3
Syphilis (congenital)						1.9			
Syphilis - Infectious		2	16.6	1	6 (1)	42.5	2	5 (4)	137.3
Syphilis - Non-Infectious			6.6		(2)	29.0	1	2 (2)	11.7
<b>Vaccine preventable diseases</b>									
Diphtheria									
H. influenzae type b									
Influenza			1.7					1	3.3
Mumps						3.9			
Pertussis									
Pneumococcal infection		1 (2)	8.3		(7)	3.9		4 (2)	13.4
Rubella (non-congenital)									
Varicella (chicken pox)		(1)	5.0		1 (1)	21.2		(2)	6.7
Varicella (shingles)		2 (2)	36.5		5 (9)	73.4	1	1	43.5
Varicella (unspecified)	1	2 (7)	29.8			1.9		1	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus			1.7						
Dengue fever									1.7
Malaria									
Ross River virus		7	59.7			36.7		1 (1)	13.4
Typhus			1.7						5.0
<b>Zoonotic diseases</b>									
Leptospirosis			1.7						
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)					1	1.9			
Amoebic meningitis									
COVID-19									
Creutzfeldt-Jakob disease									
Legionellosis		1	6.6						1.7
Leprosy									
Melioidosis									
Meningococcal infection						1.9			
Tuberculosis		1	1.7			1.9			
<b>Grand Total</b>	<b>3</b>	<b>44 (62)</b>		<b>6</b>	<b>52 (54)</b>		<b>7</b>	<b>48 (63)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	0 (3)	0.3
Hepatitis B (unspecified)		1 (2)	77.5	7	31 (54)	8.5
Hepatitis C (newly acquired)				0	3 (7)	1.4
Hepatitis C (unspecified)	1	2 (1)	66.1	18	60 (65)	18.8
Hepatitis D				0	1 (0)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis		2	54.6	13	189 (182)	61.1
Cryptosporidiosis		1	68.9	1	2 (4)	3.0
Hepatitis A				0	0 (0)	0.0
Listeriosis				0	0 (2)	0.1
Rotavirus				2	21 (22)	3.6
STEC/VTEC infection		1	2.9	0	3 (6)	2.2
Salmonellosis		1 (1)	114.9	1	23 (111)	23.3
Shigellosis		3 (2)	48.8	2	7 (13)	2.0
Vibrio parahaemolyticus				0	0 (0)	0.1
Yersiniosis				0	2 (0)	0.7
<b>Sexually transmissible infections</b>						
Chlamydia (genital)		21 (42)	807.0	82	652 (813)	233.6
Gonorrhoea	1	18 (41)	686.4	14	170 (245)	59.6
Syphilis (congenital)			2.9	0	0 (0)	0.1
Syphilis - Infectious		5 (4)	226.9	10	60 (46)	18.7
Syphilis - Non-Infectious			11.5	2	15 (12)	4.9
<b>Vaccine preventable diseases</b>						
Diphtheria				0	1 (0)	0.0
H. influenzae type b				0	1 (0)	0.0
Influenza		1 (1)	5.7	0	3 (8)	0.9
Mumps				0	0 (0)	0.1
Pertussis				0	2 (8)	0.7
Pneumococcal infection		2 (3)	28.7	0	17 (23)	3.1
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)		2 (2)	17.2	2	24 (43)	8.6
Varicella (shingles)		5 (5)	109.1	5	117 (195)	55.2
Varicella (unspecified)		1	8.6	28	129 (143)	36.7
<b>Vector-borne diseases</b>						
Barmah Forest virus		(2)	14.4	0	0 (3)	0.3
Dengue fever				0	0 (0)	0.0
Malaria				0	3 (1)	0.3
Ross River virus			31.6	0	21 (7)	19.0
Typhus				0	1 (1)	0.4
<b>Zoonotic diseases</b>						
Leptospirosis			2.9	0	0 (0)	0.1
Q Fever				0	0 (0)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1	8.6	0	2 (0)	0.2
Amoebic meningitis			2.9	0	0 (0)	0.0
COVID-19				2	21 (41)	8.6
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis			2.9	0	2 (3)	1.4
Leprosy				0	1 (0)	0.0
Melioidosis		(1)	5.7	0	0 (1)	0.1
Meningococcal infection			2.9	0	0 (0)	0.2
Tuberculosis				2	17 (11)	2.2
<b>Grand Total</b>	<b>2</b>	<b>67 (107)</b>		<b>191</b>	<b>1601 (2075)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 30	
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2021	2020
	<b>Salmonella Total</b>	<b>14</b>	<b>9</b>	<b>13</b>	<b>13</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>618</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									2	0
Salmonella Adelaide									2	3
Salmonella Agona									3	4
Salmonella Anatum									7	14
Salmonella Bahrenfeld				1					2	1
Salmonella Ball									1	0
Salmonella Bareilly									3	3
Salmonella Birkenhead									5	2
Salmonella Bovismorbificans									5	7
Salmonella Bredeney			1						1	1
Salmonella Cannonhill									1	0
Salmonella Cerro									2	2
Salmonella Chester	1								7	20
Salmonella Choleraesuis bv Australia									4	13
Salmonella Choleraesuis bv Decatur									7	9
Salmonella Corvallis									2	3
Salmonella Eastbourne									2	1
Salmonella Emmastad									1	0
Salmonella Enteritidis			1		1				8	45
Salmonella Fremantle subsp II									3	3
Salmonella Gaminara									1	0
Salmonella Give									4	3
Salmonella Havana									1	3
Salmonella Hessarek									1	1
Salmonella Houten subsp IV									2	1
Salmonella Hvittingfoss				1					3	4
Salmonella Infantis									23	20
Salmonella Irumu									1	0
Salmonella Johannesburg									2	1
Salmonella Kalumburu									2	0
Salmonella Kentucky									1	3
Salmonella Kiambu					2				4	2
Salmonella Kirkee					1				1	0
Salmonella Kottbus									2	3
Salmonella Lansing									1	1
Salmonella Litchfield									3	4
Salmonella Liverpool					1				1	0
Salmonella Livingstone									1	0
Salmonella Matopeni									1	0
Salmonella Mbandaka									1	2
Salmonella Meleagridis									1	0
Salmonella Mississippi									1	1
Salmonella Montevideo			1						1	1
Salmonella Muenchen			2	1					13	21
Salmonella Newport		1			1		1		11	10
Salmonella Oranienburg									5	3
Salmonella Orion	1								6	2
Salmonella Paratyphi B bv Java		1	1	1					5	22
Salmonella Poona				1					5	1



# Weekly Report for period 04-JUN-21 to 29-JUL-21

	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	Cumulative Total to end of Week 30	
									2021	2020
<b>Salmonella Total</b>	<b>14</b>	<b>9</b>	<b>13</b>	<b>13</b>	<b>9</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>618</b>	<b>1151</b>
<b>Serotype/Phage</b>										
Salmonella Potsdam									7	8
Salmonella Reading									6	2
Salmonella Richmond									1	1
Salmonella Rissen					1				3	4
Salmonella Rubislaw									1	1
Salmonella Sachsenwald subsp IV									1	0
Salmonella Saintpaul		1				2			20	31
Salmonella Senftenberg									2	2
Salmonella Singapore									3	4
Salmonella Stanley									4	8
Salmonella Tennessee									3	0
Salmonella Typhimurium	10	5	3	8	1	3	3		331	763
Salmonella Urbana									2	1
Salmonella Virchow			2						14	16
Salmonella Wandsbek subsp II									1	4
Salmonella Wandsworth									1	1
Salmonella Weltevreden									2	5
Salmonella Zanzibar									2	1
Salmonella species	2	1	2		1	2	2	1	40	56
Salmonella subsp I ser 16:l,v:-									2	3