Non-Admitted Patient Bata Collection
Data Dictionary

July 20220 Section

Supplies the Collection Collection

Data Dictionary

Division Collection

Division Collection

Data Dictionary

Division Collection

Data Dictionary

Division Collection

Division Collection


Data Dictionary

Division Collection

#### Important Disclaimer:

All information and content in this Material is provided in good faith by the WA Department of Health and is based on sources believed to be reliable and accurate at the time of development. The State of Western Australia, the WA Department of Health and their respective officers, employees and agents, do not accept legal liability or responsibility for the Material, or any consequences arising from its use.

Owner:	Department of Health, Western Australia	
Contact:	Information and Performance Governance	
Approved by:	Rob Anderson, Assistant Director General, Purchasing and System Performance	
Links to:	Information Management Policy Framework  https://ww2.health.wa.gov.au/About-us/Policy-frameworks/Information- Management	



# **Contents**

ΑD	breviations	1
1.	Purpose	2
2.	Background	2
3.	Recording of data	2
4.	Data definitions	2
	Aboriginal Status	3
	Appointment Account Number	4
	Appointment Attendance Code	5
	Appointment Cancellation Code	6
	Appointment Cancellation Date	7
	Appointment Care Type Code	8
	Appointment Client Type Code	9
	Appointment Date	. 10
	Appointment Delivery Mode Code	. 11
	Appointment Delivery Setting Code	. 13
	Appointment Diagnosis Code	. 14
	Appointment Diagnosis Type	. 15
	Appointment Event Type	. 16
	Appointment Funding Source Code	. 17
	Appointment Healthcare Provider Code	. 18
	Appointment Healthcare Provider Name	. 19
	Appointment Level Tier 2 Classification Code	. 20
	Appointment Non-Attendance Reason Code	. 21
	Appointment Outcome Code	
	Appointment Patient Arrival Time	
	Appointment Patient Seen Time	
	Appointment Payment Classification Code	
	Appointment Preferred Date	. 26
	Appointment Program Code	
	Appointment Reason for Reschedule Code	
	Appointment Reschedule Count	
	Appointment Session Type Code	
	Appointment Status Code	
	Appointment Status Description	
	Appointment Time	
	Appointment Type Code	
	Appointment Update Date	
	Australian Postcode	
	Australian State or Country of Birth	
	Clinic Category Code	
	Clinic Identifier	
	Clinic Multidisciplinary Flag	
	Clinic NMDS Tier 1 Code	
	Clinic Site Code	
	Clinic Tier 2 Classification Code	
	Clinic Tier 2 Classification Code Opened Date	
	Clinic Title	
	Clinic Healthcare Provider Code	
	Clinic Healthcare Provider Name	
	Community Client SLK	. 52

Community Desired Place of Death 1st Assessment Code	53
Community Desired Place of Death Code	54
Community Duration	55
Community Phase of Care Code	56
Community Place of Care Code	57
Community Place of Death Code	58
Community Service Code	59
Community Service Received Code	60
Community Travel Time	61
Concession Card Type Code	62
Date of Birth	
Date of Death	
Death Notification Code	65
Department of Veterans' Affairs Card Colour Code	66
Department of Veterans' Affairs File Number	
Establishment Code	
Establishment Site Code	69
Event Type	70
Family Name	71
First Given Name	72
Interpreter Required	_
	74
Medicare Card Number	75
Patient Secondary Identifier	
Patient With Cancer Ready For Care Code	77
Patient With Cancer Ready For Care Date	78
Patient With Cancer Clinical Emergency Indicator	79
Patient With Cancer Intention of Treatment	80
Patient With Cancer Primary Site of Cancer	81
	82
Phone Number 1	83
Phone Number 2	84
Postal Address 1	85
Postal Address 2	86
Postal Postcode	87
Postal State or Territory	88
Postal Suburb	89
Record Change Type	90
Record Type	91
Referral Account Number:	92
Referral Account Number 2	93
Referral Category Code	
Referral Created Date	97
Referral Closed Date	98
Referral Entered By	99
Referral Entered Date	100
Referral Priority Code	101
Referral Reason Code	102
Referral Reason for Closure Code	103
Referral Received Date	104
Referral Source Code	105
Referral Status Code	107
Referral Update Date	108
Referring Healthcare provider	109

	Residential Address 1	110
	Residential Address 2	111
	Residential Status Code	112
	Second Given Name	113
	Sex	114
	State or Territory	
	Suburb	
	System Extracted Date	
	System Loaded Date	
	System Record Identifier	
	System Updated Date	120
	Unit Medical Record Number	121
Appe	ndix A – Summary of revisions	122

Wo Longer Applicable 2023.
Wo Longer Replicable 2023.

# **Abbreviations**

ABS	Australian Bureau of Statistics
CEO	Chief Executive Officer
DOH	Department of Health
DVA	Department of Veterans Affairs
HACC	Home and Community Care
ID	Identifier
MCC	Multidisciplinary Case Conference
NAPDC	Non-Admitted Patient Data Collection
NMDS	National Minimum Data Set
PAS	Patient Administration System
SACC	Standard Australian Classification of Countries 2016
UMRN	Unit Medical Record Number
WA	Western Australia
webPAS	Web-based Patient Administration System
	Wo Longer Roph, July

## 1. Purpose

The purpose of the *Non-Admitted Patient Data Collection Data Dictionary* is to detail the data elements captured in the Non-Admitted Patient Data Collection (NAPDC).

The Non-Admitted Patient Data Collection Data Dictionary is a Related Document under MP 0164/21 Patient Activity Data Policy.

This data dictionary is to be read in conjunction with this policy and other Related Documents and Supporting Information as follows:

- Non-Admitted Patient Activity Data Business Rules
- Non-Admitted Patient Data Collection Data Specifications
- Patient Activity Data Policy Information Compendium.

## 2. Background

The use of non-admitted patient data by the Department of Health is dependent on high quality data that are valid, accurate and consistent.

## 3. Recording of data

Data that are submitted to the NAPDC must be recorded in accordance with the Data Definitions (Section 5).

Please note there are multiple feeder systems that report Won Admitted Patient activity data to the Department of Health. The permitted values identified in this document cover all relevant feeder systems; inclusion of a value in the Remitted Values list does not imply it is permitted or available in all source systems.

## 4. Data definitions

The following section provides specific information used data elements captured in the NAPDC, including definitions, permitted values guide for use, rules and operational examples.

All information relating to data elements in his data dictionary is specific to the NAPDC and caution should be taken in these data elements are compared with those of other data collections.

Where relevant, related national department of Health Western Australia acknowledges the assistance of the Australian Institute of Health and Welfare (AIHW) for services provided in relation to METeOR, Australia's repository for national metadata standards for the health, community services, early childhood, homelessness and housing assistance sectors, which is owned by the AIHW.

## **Aboriginal Status**

Field name:	aboriginal_status
Source Data Element(s):	N/A
Definition:	Whether a person identifies as being of Aboriginal or Torres Strait Islander origin.
Requirement status:	Mandatory
Data type:	Numerical
Format:	N
Permitted values:	<ol> <li>Aboriginal but not Torres Strait Islander origin</li> <li>Torres Strait Islander but not Aboriginal origin</li> <li>Both Aboriginal and Torres Strait Islander origin</li> <li>Neither Aboriginal nor Torres Strait Islander origin</li> <li>Not stated/inadequately described</li> </ol>

#### **Guide for use**

There are three components to the Commonwealth definition of Abordinal or Torres Strait Islander: descent, self-identification, and community acceptance in practice, it is not feasible to collect information on community acceptance in general purpose data collections. Therefore, standard questions on Aboriginal status relate to descent and self-identification only.

Within Western Australia, the term Aboriginal is used in preference to Aboriginal and Torres Strait Islander, in recognition that Aboriginal peoples are the original inhabitants of Western Australia. No disrespect is intended to our Torres Strait Islander colleagues and community.

# Related national definition

https://meteor.aihw.gov.au/content/ildex.phtml@md/602543

# **Appointment Account Number**

Field name:	appointment_account_number
Source Data Element(s):	N/A
Definition:	An identifier in the source information system that distinguishes between related non-admitted services (e.g. appointment account number, event ID). This would be a unique number, either on its own or paired with the Establishment code.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(29)]
Permitted values:	N/A

#### **Guide for use**

The Appointment Account Number must be a unique number for every episode of service.

This appointment account number does not change and is not re-use the specific the appointment status, outcome or attendance code.

When an appointment is made, it must be linked to a registered regreat.

rerect revel non-tem. The appointment account numbers enable the patient-level con-admitted activity to be linked to the Department of Health WA costing system.

# **Appointment Attendance Code**

Field name:	appointment_attendance_code
Source Data Element(s):	Appointment Outcome Code
Definition:	The nature of the patient's attendance at the appointment, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	ATT - Attended DNA - Did Not Attend DNW - Did Not Wait MCC - Multidisciplinary Case Conference NCE - Non-client Event NSP - Not Specified UNK - Unknown

### **Guide for use**

This data element is used to determine the outcome to the appear

ane appoint and existent is Condition: This data element is Mandatory if the source system is not webPAS.

# **Appointment Cancellation Code**

Field name:	appointment_cancellation_code
Source Data Element(s):	N/A
Definition:	The reason why the scheduled appointment was cancelled, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	XXX
Permitted values:	BET - States better CCA - Clinic cancelled CLU - Clinician unavailable COH - Crisis - Hospital COP - Crisis - Patient COQ - Crisis - Patient In Quarantine CUR - Current IP any site DEC - Deceased DNN - No notification received ERR - User error ISF - Illness self/family MOV - Moved away NCO - Non contactable NSP - Not specified OTH - Treated other public hospital PCO - Patient convenience PRI - Treated privately RES - Test results unavailable RFC - Receival closed TIA - Treatment for longer appropriate TRA - Transport unavailable UNX - Unknown URG - Urgent patient UTR - Urgent test results

# **Guide for use**

This data element is used to determine where the responsibility lies for an unattended appointment.

Condition: This data element is conditional on the appointment being cancelled otherwise leave blank.

# **Appointment Cancellation Date**

Field name:	appointment_cancellation_date
Source Data Element(s):	N/A
Definition:	The date on which the scheduled appointment was cancelled.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### Guide for use

This field is mandatory if a scheduled appointment is cancelled.



# **Appointment Care Type Code**

Field name:	appointment_care_type_code
Source Data Element(s):	N/A
Definition:	The type of care provided to the patient at the appointment as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	ACU - Acute GER - Geriatric Evaluation and Management MEN - Specialist Mental Health NSP - Not Specified OTH - Other PAL - Palliative PSY - Psychogeriatric REH - Rehabilitation UNK - Unknown

#### Guide for use

This data item is required for national reporting against the data element. Non-admitted patient service event - care type, code N.

Local codes are mapped to national codes for reporting purposes.

This data element is also used to derive the appointment mental health indicator. Appointments with a value of MEN (Specialist mental health) or PSY (Psychogeriatric) for the Care Type code will be assigned a value of Y (Yes) for the appointment mental health indicator. All other Care Type codes are not classified as a specialised mental health service although an appointment may still be assigned a value of Y (Yes) for the appointment mental health indicator based on the clinic category code, NMDS Tier 1 code or Tier 2 classification code

# Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/679528

# **Appointment Client Type Code**

Field name:	appointment_client_type_code
Source Data Element(s):	N/A
Definition:	The type of patient at the time of the appointment, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XX
Permitted values:	CC - Continuing Care ED - Emergency Department EX - External IP - Inpatient NS - Not Specified OP - Outpatient PH - Primary Health

## **Guide for use**

This data element is used to determine a non-admitted patient source event when the client type is coded as OP (Outpatient).

Records that do not have a client type of OP (Outpatient) are excluded when counting attended appointments or non-admitted patient service events.

## **Appointment Date**

Field name:	appointment_date
Source Data Element(s):	N/A
Definition:	The date on which the appointment occurred
Requirement status:	Mandatory
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### Guide for use

For patient safety, when a non-admitted patient commenced an appointment before midnight and the patient is still in the hospital after midnight, this is recorded as two appointments. The date on which the service commenced must be recorded for the first appointment and the date after midnight for the second appointment The Appointment Outcome Code for the appointment after midnight must be recorded as Chart Opty / non-client event to ensure that it is excluded from reports of non-admitted covivity.

This data item is required for national reporting against the data element: Non-admitted patient service event - service date, DDMMYYYY.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemle/636434

## **Appointment Delivery Mode Code**

Field name:	appointment_delivery_mode_code
Source Data Element(s):	N/A
Definition:	The method of communication between a patient and a healthcare provider during the appointment, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	CLP - Client Present ELE - Electronic (e.g. Email, SMS) GCP - Group Client Present HOM - Home Visit MCC - Multidisciplinary Case Conference – patient not present OTH - Other POS - Postal Service SLF - Self-administered Treatment TEL - Telephone THC - Telehealth Support Clinician THH - Telehealth at non-WA Nealth Site THS - Telehealth at WA Health Site UNK - Unknown VID - Video Conference

### **Guide for use**

#### In person

The healthcare provider delivers the service in the physical presence of the patient (i.e., in the same room). Codes GLP (client Present) and GCP (Group Client Present) provide a measure of 'face-to-face' service delivery.

#### **Telephone**

The healthcare provider delivers the service using a telephone. This includes teleconference.

#### Videoconference and Telehealth

The healthcare provider delivers the service using a video conferencing platform.

THC (Telehealth Support Clinician) is used at the receiving end of a telehealth appointment and applies when a clinician is needed to support a patient at their telehealth appointment (e.g. a nurse needs to measure blood pressure or conduct a clinical assessment that enables the clinician at the provider end to undertake the appointment).

In this scenario, the telehealth activity can be recorded at both the clinic where the consultation service is being provided and at the patient's location where the support

clinician is providing health care to the patient.

THS (Telehealth at WA Health site) is used when a patient will be attending their telehealth appointment and needs to present to a WA Health site. A support clinician may or may not be required to accompany the patient in this scenario. The patient simply may not have technical expertise and therefore needs to use WA health equipment to have their appointment or they may also need the support of a clinician.

THH (Telehealth at Non-WA Health site) is used when the clinician at the provider end will be delivering the telehealth appointment to a patient but the patient does not need to be or will not be attending a WA Health facility for their appointment. This category also applies to appointments that are delivered directly to a patient while they are in their home. In these instances, a clinician is not required at the receiving end to enable the appointment to occur.

#### Electronic mail/ messaging

The healthcare provider delivers the service via electronic mail, or other electronic messaging services, including instant messaging.

#### Postal/courier service

The healthcare provider delivers the service via postal (including courier) services.

#### Patient self-administered

The health service was delivered via a means that does not involve direct interaction with a healthcare provider (however is under the care/review of the healthcare provider) such as home-based procedures and remote home-based diagnostic pionitoring (telemonitoring) that the patient self-administers without assistance from a healthcare provider.

#### Multidisciplinary case conference where the patient is not present

A meeting or discussion is held concurrently between healthcare providers, arranged in advance, to discuss a non-admitted patient in cetail and to coordinate care without the patient being present.

Multidisciplinary case conferences must involve three of more healthcare providers who have direct care responsibilities for the patient discussed. The healthcare providers may be of the same profession (medical, sursing, midvifery or allied health); however, they must each have a different specialty so that the care provided by each provider is unique. Alternatively, the healthcare providers may be of different professions (medical, nursing, midwifery or allied health) but or the same specialty.

From 1 July 2018, the MCC delivery mode code is used to set the Appointment Attendance code and Appointment Session Type code to MCC (Multidisciplinary case conference).

#### Other

The health service involved a direct interaction with a healthcare provider via a means not covered by any other category.

This data item is mandatory for national reporting against the data element: Non-admitted patient service event—service delivery mode, code N.

Local codes are mapped to national codes for reporting purposes.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemld/732562

# **Appointment Delivery Setting Code**

Field name:	appointment_delivery_setting_code
Source Data Element(s):	N/A
Definition:	The setting in which a service is provided to a patient during the appointment, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	X
Permitted values:	Y - On the hospital campus of the healthcare provider N - Off the hospital campus of the healthcare provider

### **Guide for use**

This data item is required for national reporting against the data element: Non-admitted patient service event - service delivery setting, code N.

Related national definition
https://meteor.aihw.gov.au/content/index.phtml/itemld/730444 Local codes are mapped to national codes for reporting purposes.

# **Appointment Diagnosis Code**

Field name:	appointment_diagnosis_code_N
Source Data Element(s):	N/A
Definition:	Any number of diagnoses or procedure codes collected relating to the patient's appointment, as represented by a code
Requirement status:	Optional
Data type:	String
Format:	[X(15)]
Permitted values:	N/A

## **Guide for use**

ents a nume.

We under Application of the condense ded to the cond There are currently 4 appointment diagnosis code N fields. (N) represents a numeric range from 1 to 4 (e.g. appointment\_diagnosis\_code\_1, appointment diagnosis code 2...).

# **Appointment Diagnosis Type**

Field name:	appointment_diagnosis_type_N
Source Data Element(s):	N/A
Definition:	A condition or complaint type in relation to the appointment event, represented by a code.
Requirement status:	Optional
Data type:	String
Format:	[X(10)]
Permitted values:	ICD9CMA - ICD 9th Edition Canadian Modified (AU) ICD10AM - ICD 10th Edition Australian Modified MDC - Major Diagnostic Category HIC - Health Issue Code

#### **Guide for use**

There are currently four appointment\_diagnosis\_type\_N fields. (N) represents a numeric range from 1 to 4 (e.g. appointment\_diagnosis\_type\_1, appointment\_diagnosis\_type\_2).

# **Appointment Event Type**

Field name:	Appointment_event_type
Source Data Element(s):	N/A
Definition:	Further description of appointment type as represented by text.
Requirement status:	Conditional
Data type:	String
Format:	[X(50)]
Permitted values:	Admitted Patient Chart Review Continuing Care MPS Outpatient Primary Health

#### **Guide for use**

As on vise and corded in the c This is required in webPAS load processing to identify and keep only record Outpatient, if it exists) of multiple contact records that otherwise appear on the extract for the same appointment whenever multiple contacts are recorded in the Contacts screen.

Only provided by WA Country Health Services (WACHS

## **Appointment Funding Source Code**

Field name:	appointment_funding_source_code
Source Data Element(s):	N/A
Definition:	Patient's principal funding or payment source for the service event, as represented by a code
Requirement status:	Conditional
Data type:	String
Format:	XXX
Permitted values:	AHA - Australian HCA (Health Care Agreement) COR - Correctional Facility REC - Reciprocal Overseas DET - Detainee

#### Guide for use

Australian Health Care Agreements – refers to Medicare eligible patients who are non-admitted patient, emergency department patients, admitted public patients precenting to a public hospital outpatient department for whom there is no third-party arrangement or public patients admitted to a private hospital funded by state or peritory health authorities. This excludes inter-hospital contracted patients and overseas visitors who are covered by Reciprocal Health Care Agreements but elect to be treated of also excludes public admitted patients and Medicare eligible patients who choose not to register with Medicare and self-fund the admission episode.

Correctional Facility - refers to prisoners, non-admitted patients and other patients admitted to a hospital where the Department of Justice is responsible for the payment of the admission episode. These patients are to ated as a public patient although the funding source is Correctional Facility. Illegal immigrants do not come under this funding source; they are coded as DET (Detainee).

Reciprocal Health Care Agreement Australia has Reciprocal Health Care Agreements (RHCA) with Belgium, New Zealand, Finland, Norway, Italy, Sweden, Ireland, Slovenia, Malta, United Kingdom, and Metherlands, Detainee – refers to patients who are deemed as ineligible immigrants detained in an Interigration Detention Centre.

Condition: if the source system provides this Data Element, then this is Mandatory.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/679815

# **Appointment Healthcare Provider Code**

Field name:	appointment_healthcare_provider_code
Source Data Element(s):	N/A
Definition:	An identifier assigned to the healthcare professional who delivered the service.
Requirement status:	Conditional
Data type:	String
Format:	[X(10)]
Permitted values:	N/A

#### **Guide for use**

The identifier is allocated to the healthcare professional by the profession's registration

Condition: If the identifier is available, then this data element is mandatory.




# **Appointment Healthcare Provider Name**

Field name:	appointment_healthcare_provider_name
Source Data Element(s):	N/A
Definition:	The name of the individual healthcareprofessional who provided health care to the patient, as represented by text
Requirement status:	Conditional
Data type:	String
Format:	[X(100)]
Permitted values:	N/A

#### Guide for use

Condition: If the name of the healthcare professional is available, then this data element is mandatory.



# **Appointment Level Tier 2 Classification Code**

Field name:	appointment_level_tier2
Source Data Element(s):	N/A
Definition:	Appointment level Tier 2 classification code is carried over from the clinic tier 2 classification code which is to be selected from the IHPA Tier 2 classification code list.
Requirement status:	Conditional
Data type:	String
Format:	NN.NN
Permitted values:	Refer to the Independent Hospital Pricing Authority (IHPA)

#### Guide for use

For the complete list of permitted values, refer to the Tier 2 Non-Admitted Services 2022-

Related national definition
https://meteor.aihw.gov.au/content/index.phtml/itemId/733027 Condition: if the source system collects this Data Element, then this

# **Appointment Non-Attendance Reason Code**

Field name:	appointment_nonattendance_reason_code
Source Data Element(s):	N/A
Definition:	The reason why the patient did not attend the appointment as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	APE - Inpatient and Outpatient Appointment Elsewhere COH - Crisis - Hospital COP - Crisis - Patient COQ - Crisis - Patient in Quarantine DEC - Deceased DRN - Did not Receive Notification FGT - Forgot GNR - Gives No Reason ISF - Illness Self or Family PDA - Patient Did Not Attend SBE - States Better TPR - Treated Privaley TRU - Transport Unavailable

Condition: If the appointment was cancelled then this data element is mandatory, otherwise leave blank.

# **Appointment Outcome Code**

Field name:	appointment_outcome_code
Source Data Element(s):	N/A
Definition:	The outcome of the appointment, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	[XXX]
Permitted values:	ADM - Admit to Ward ARV - Arrived CAN - Cancelled CON - Chart Only COU - Counselling of relatives DEC - Deceased in Clinic DIE - Deceased DIS - Discharge From Clinic NSP - Not Specified PAE - Patient Arrived in Error PDA - Patient Did Not Avend PRI - Private Referral RAS - Ref Another Specialty REA - Reappoint RED - Refer to ED REV - Further Review RGP Referral Deck to GP ROH - Refer Other Hospital BTW - Refer To Ward RWL - Refer IP Waitlist Unit - Unknown

# **Guide for use**

The appointment outcome code is used to derive the appointment attendance code and to determine a non-admitted patient service event.


All codes in the value domain are in the scope of a non-admitted patient service event, except for NSP (Not Specified) and UNK (Unknown). Appointment records with these codes will be excluded from Department of Health reports and National Submissions relating to non-admitted activity.

# **Appointment Patient Arrival Time**

Field name:	appointment_patient_arrival_time
Source Data Element(s):	N/A
Definition:	The time when the patient arrived for the appointment.
Requirement status:	Conditional
Data type:	Datetime
Format:	HH:MM:SS
Permitted values:	N/A

### **Guide for use**

Condition: If the patient arrived for their appointment and the source system collects this data element then this data element must be provided, otherwise it will be blank.



# **Appointment Patient Seen Time**

Field name:	appointment_patient_seen_time
Source Data Element(s):	N/A
Definition:	The actual time when the patient was seen by a healthcare provider for the appointment.
Requirement status:	Conditional
Data type:	Datetime
Format:	HH:MM:SS
Permitted values:	N/A

#### Guide for use

Condition: If the source system collects this data element then this data element must be provided, otherwise it will be blank.



# **Appointment Payment Classification Code**

Field name:	appointment_payment_classification_code
Source Data Element(s):	N/A
Definition:	The expected principal source of funds for payment of the account for an appointment, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	[XXX]
Permitted values:	ADF - Australian Defence Force AHA - Australian Health Care Agreement CIS - Catastrophic Injury Support Scheme COM - Compensable Other COR - Correctional Facility DET - Detainee EMV - Other States Motor Vehicle Distrance Prost FOD - Foreign Defence INE - Ineligible MBS - Medicare Benefits Scheme OTH - Other OVS - Overseas Student OVV - Overseas Student OVV - Private Insured REC - Responsed Health Care Agreement SHI - Shipping UNIC Private Uniosured UNIC Private Uniosured UNIC Veterans' Affairs, Department of WAN Western Australian Motor Vehicle Insurance Trist WCC - Workers Compensation

### **Guide for use**

This is a mandatory item for national reporting against the data element: Episode of care—source of funding, patient funding source code NN.

Local codes are mapped to national codes for reporting purposes.

## Related national definition


https://meteor.aihw.gov.au/content/index.phtml/itemId/679815

# **Appointment Preferred Date**

Field name:	appointment_preferred_date
Source Data Element(s):	N/A
Definition:	The date preferred by the patient for their scheduled non-admitted service appointment to an outpatient clinic.
Requirement status:	Conditional
Data type:	String
Format:	DDMMYYYY
Permitted values:	N/A

#### Guide for use

Condition: this data element must be provided if available in the source system, otherwise leave blank.



# **Appointment Program Code**

Field name:	appointment_program_code
Source Data Element(s):	N/A
Definition:	A code to identify the type of service or program that is being delivered.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	BRE - Breast Services CHD - Child Development CPH - Community Physio Service CRE - Community Rehabilitation DAE - Diabetes Education DIS - Disability DTU - Day Therapy Unit EME - Emergency Department HAE - Haematology HNV - Health Navigator ICS - Cancer Service MED - Medical NAP - Not Applicable NDS - NDIS Registered NSP - Not Specified ONC - Sheology PAI - Palliative Care ICAR - Post Admission Rehabilitation REM - Regal Medicine SCL Chroke Clinic SCO - Stroke Community SNR - Surgical TRC - True Care True Culture VGE - Visiting Geriatrician VGS - Visiting Geriatrician Support Service

## **Guide for use**

Condition: If the source system collects this data element, then it is mandatory otherwise leave blank.

# **Appointment Reason for Reschedule Code**

Field name:	appointment_reschedule_reason_code
Source Data Element(s):	N/A
Definition:	The reason why the appointment was rescheduled.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	CLU - Clinician Unavailable COH - Crisis - Hospital COP - Crisis - Patient COQ - Crisis - Patient in Quarantine INP - Current IP Any Site DRN - Did Not Receive Notification EXE - Executive Decision EIA - External Industrial Action ISF - Illness Self or Family IIA - Internal Industrial Action INU - Interpreter Unavailable NSP - Not Specified PTC - Patient Convenience RUN - Rooms Unavailable SLC - Slot Change STE - Storent Exame TRU - Convenience TUN - Transport Unavailable URE - Urgent Patient UTR - Urgent Test Results

# **Guide for use**

Condition: If available in the source system and the appointment was rescheduled then this data element is mandatory otherwise leave blank.

# **Appointment Reschedule Count**

Field name:	appointment_reschedule_count
Source Data Element(s):	N/A
Definition:	The number of times an appointment has been rescheduled.
Requirement status:	Conditional
Data type:	Numeric
Format:	NNNN
Permitted values:	N/A

#### Guide for use

Condition: If available, then this data element is mandatory otherwise leave blank.



## **Appointment Session Type Code**

Field name:	appointment_session_type_code
Source Data Element(s):	N/A
Definition:	Whether the appointment was provided to an individual or a group or was non-client related. From 1 July 2018, if appointment delivery mode code is MCC then Appointment Session Type Code is set to code MCC
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	GRP - Group IND - Individual MCC - Multidisciplinary Case Conference NCE - Non-Client event UNK - Unknown

#### Guide for use

This data element is used to determine a non-admitted patient service event when the session type is coded as IND (Individual), GRP (Group) or MCC (Muticisciplinary case conference).

Appointment records that do not have a session type (Individual), GRP (Group) or MCC (Multidisciplinary case conference) are excluded from reports of non-admitted activity.

Appointment records coded as NCE (Non-crient event) do not have a patient present and are therefore not a non-admitted patient service event.

This data element is also used to derive the group session indicator. Records with a value of GRP for the appointment session type code will be assigned a value of 1 (Yes) for the group session indicator. All other records will be assigned a value of 2 (No) for the group session indicator.

This is data item is required for national reporting against the data element: Non-admitted patient service event – group session indicator, yes/no/not applicable/not stated/inadequately described code N.

Local codes are mapped to national codes for reporting purposes.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemld/730453

# **Appointment Status Code**

Field name:	appointment_status_code
Source Data Element(s):	N/A
Definition:	The status of the scheduled appointment record, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	[XX]
Permitted values:	PR - Processed PP - Part Processed UN - Unprocessed / Unknown FU - Future Appointment RS - To Be Rescheduled CA - Cancelled Appointment

## **Guide for use**

This mandatory data element is used to determine the status of the scheduled appointment record.

# **Appointment Status Description**

Field name:	appointment_status_description
Source Data Element(s):	N/A
Definition:	The description of the status of the scheduled appointment record as represented by text.
Requirement status:	Optional
Data type:	String
Format:	[X(50)]
Permitted values:	Processed Part Processed Unprocessed / Unknown Future Appointment To Be Rescheduled Cancelled Appointment

#### **Guide for use**

Condition: this data item should be provided if available in the sevice system, merwise leave blank.

# **Appointment Time**

Field name:	appointment_time
Source Data Element(s):	N/A
Definition:	The time of the scheduled appointment.
Requirement status:	Mandatory
Data type:	Datetime
Format:	HH:MM:SS
Permitted values:	N/A

#### **Guide for use**

This is a mandatory data element used to record the time of the scheduled appointment.



# **Appointment Type Code**

Field name:	appointment_type_code
Source Data Element(s):	N/A
Definition:	Whether the scheduled appointment is for a new problem not previously addressed at the same clinical service or for the follow-up of a problem that has been addressed at a previous appointment at the same clinical service, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	NEW - New FOL - Follow-up NCE - Non-Client Event/ Chart Only NSP - Not Specified OTH - Other UNK - Unknown

#### **Guide for use**

This data element is used to determine a non-admitted patient service event when the appointment type is coded as NEW (New), FOL (Followers) or OTH (Other).

The codes NSP (Not specified) and UNK (Unknown) are out of the scope of a non-admitted patient service event.


Non-Client Event / Chart Only refers to an appointment time that a clinician has set aside to review a patient's chart, without the patient being present. This type of appointment does not meet the criteria for a non-admitted patient service event since there is no interaction between the clinician and the patient Appointments with a Delivery Mode of MCC (Multidisciplinary case conference – patient not present) are the exception to this rule and are in the scope of a non-admitted patient service event.

## **Appointment Update Date**

Field name:	appointment_update_date
Source Data Element(s):	N/A
Definition:	The date/time an appointment is updated prior to the attended appointment.
Requirement status:	Conditional
Data type:	Datetime
Format:	DDMMYYYY HH:MM:SS
Permitted values:	N/A

#### Guide for use

Condition: This data element is conditional if the appointment was subsequently updated from original appointment date and feeder system provides, otherwise leave blank



### **Australian Postcode**

Field name:	postcode
Source Data Element(s):	N/A
Definition:	The Australian numeric descriptor for a postal delivery area for an address. The postcode relates to the patient's area of usual residence.
Requirement status:	Mandatory
Data type:	String
Format:	[XXXX]
Permitted values:	Valid Australian Postcode
	N/A

#### **Guide for use**

See the Australia Post website for current listings.

See the Australia Post website for current listings.

This data element is required for national reporting against the data element: Addless-Australian postcode, code NNNN.

Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/614398

## **Australian State or Country of Birth**

Field name:	State_country_of_birth
Source Data Element(s):	N/A
Definition:	The Australian state or country in which the patient was born, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXXX
Permitted values:	Refer to the Australian State or Country of Birth Code List

#### **Guide for use**

The code list for Australian State or Country of Birth is drawn from the Australian Bureau of Statistics' Standard Australian Classification of Countries 2016 (SACC), with additional codes to allow the collection of the Australian state of birth.

The collection of Australian State or Country of Birth is mandatory. Where information is not available, should the code (0003) Not Stated been tered.

'Australia' should only be used when the Australian state of birto's not known for Australian-born patients

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itelu/id/659454

# **Clinic Category Code**

Field name:	clinic_category_code
Source Data Element(s):	N/A
Definition:	Clinic category, as represented by a code and based on the webPAS three-character category codes.
Requirement status:	Mandatory
Data type:	String
Format:	XXX[X]
Permitted values:	ABH - Aboriginal Health ACA - Aged Care Assessment ADO - Adolescent Medicine AMA - Acute Medical Assessment AMP - Amputee ANA - Anaesthetics ANT - Antenatal APY - Adult Psychology AUD - Audiology BRE - Breast Service BUR - Burns CAR - Cardiology CHI - Child Psychatry CHP - Child Protection Medicine CMB - Cardiometabolic CMN - Semmunity Wusing CQT - Congrumicable Disease CON - Congrumicable Disease CON - Congrumicable Disease CON - Condinence Enuresis COT - Cardio Tech Service CTS - Cardiothoracic Surgery DAA - Drug And Alcohol DAE - Diabetic Education DEN - Dental DER - Dermatology DIA - Diabetes DIE - Dietetics DIS - Dialysis EME - Emergency Medicine

**END** - Endocrinology **ENT - Ear Nose Throat** FRM - Forensic Medicine GAS - Gastroenterology **GEN - Genetics** GER - Gerontology GES - General Surgery GHP - General Health Psychology GNU - General Nursing **GPM - General Medicine** GYN - Gynaecology HAE - Haematology HAN - Hand Surgery **HEP** - Hepatobiliary HIT - Hospital In The Home HLK - Home Link HYP - Hyperbaric Medicine ICS - Cancer Service IMM - Immunology INF - Infectious Medicine LIV - Liver Service LYM - Lymphoedema Service MET - Metabolic Medicine MFC - Multidisciplinary Foot Ucer MMH - Midland Mental Health MPG - Mound Psychiatric Geriatric MTO Wajor Training Outcome O - Neonatology NES - Neurosurgery NEU - Neurology NGF Neurogenetic Neurological Intervention TE - Neuro Tech Service NUC - Nuclear Medicine **OBS** - Obstetrics OCC - Occupational Therapy ONC - Oncology OPH - Ophthalmology **OPT - Optometry ORA** - Oral Surgery **ORP** - Orthoptics **ORT** - Orthopaedics OTC - Orthotics

OTT - Orthopaedic Trauma PAE - Paediatric Medicine PAI - Pain Management PAL - Palliative Medicine PAS - Paediatric Surgery PHA - Pharmacy PHY - Physiotherapy PIC - Peripherally Inserted Central Catheter Services PLA - Plastic Surgery POD - Podiatry PRE - Pre-Admission and Pre-Anaesthetic **PSG** - Psychogeriatrics PSY - Psychiatry Adult PUP - Pulmonary Physiology PYO - Psychiatry Youth RAD - Radiology RAO - Radiation Oncology **REH - Rehabilitation Medicine** REM - Renal Medicine RES - Respiratory Medicine RET - Rehabilitation RHE - Rheumatolog RIT - Rehabilitation in RSH - Researd SAM - Statt-wide Aboriginal Mental Health SLP - Sleep SOW Social Work Speech Pathology S - Spina and Scoliosis STM - Stomal Therapy UROUrology AS - Vascular Surgery ゴE - Vascular Tech Service WOU - Wounds Dressings Management YCS - Youth Cancer Service

#### Guide for use

This data element is the fundamental grouping structure under which all clinics are organised within the source information systems. The WA Health system further maps Clinic Categories to Specialty groupings for performance and reporting purposes.

This data item is also used to derive the Appointment Mental Health Indicator. Specialised mental health non-admitted services are identified according to the clinic category code, clinic type and care type.

A value of Y (Yes) will be assigned to the Appointment Mental Health Indicator for appointments with the following specialised mental health clinic category codes:

PSG, PSY or PYO.

Appointment records with these clinic category codes will be excluded from reports of non-admitted activity.

This data item is also used to exclude activity that is classified as admitted activity for national reporting purposes. Appointment records with a clinic category code of HITH or HIT (Hospital in the Home) are out of the scope of a non-admitted patient service event.

Holonger Applicable 2023.

#### **Clinic Identifier**

Field name:	clinic_identifier
Source Data Element(s):	N/A
Definition:	A unique identifier for the clinic through which health care was provided to a non-admitted patient in a non-admitted setting. This identifier is assigned by the source information system in the preferred format.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(7)]
Permitted values:	N/A

#### **Guide for use**

supplies da chich health information de Robinson de Ro The clinic identifier is assigned by the health information system that supplies data. The identifier will be unique in certain circumstances, depending on which health information system the clinic is created in

## **Clinic Multidisciplinary Flag**

Field name:	clinic_multidisciplinary_flag
Source Data Element(s):	N/A
Definition:	A yes/no value indicating whether the appointment occurred in a multidisciplinary clinic.
Requirement status:	Mandatory
Data type:	String
Format:	X
Permitted values:	N - No Y - Yes U - Unknown

#### **Guide for use**

In WA a clinic is defined as multidisciplinary when the following conditions are met:

- 1. There are three or more team members and the care provided to each health care provider is unique and is illustrated by:
  - a. all members being of the same profession (medical, harsing or alied health) but each having a different speciality, or
  - b. team members being of a different profession medical, pursing or allied health) but may have the same or a different speciality
- 2. Care is provided at the clinic on the same (a) by multiple three or more) healthcare providers, who collaborate to assess and make treatment recommendations that facilitate high quality patient care.
- 3. There is direct interaction between the patient of the healthcare providers.
- 4. The clinic has been set up using the single service event method.

There is no patient present at a multidisciplinary case conference therefore appointments with a service delivery mode of MCC will have value of N (No) for the clinic multidisciplinary indicator.

This data item is used to derive the data element required for national reporting: Non-admitted patient service event—multiple health care provider indicator, yes/no/not applicable/not stated/inadequality lescribed code.

Local codes are mapped to national codes for reporting purposes.

This data element is used to derive the multiple health care provider indictor for national reporting. If the clinic multidisciplinary indicator is set to Y (Yes) then the multiple health care provider indicator is set to 1 (Yes).

Appointments at MCC clinics are set to 7 (Not applicable) for the multiple health care provider indicator for national reporting because, despite the presence of three or more health care providers at the appointment, there was no direct interaction between the patient and the health care providers.

Home-delivered services (Tier 2 codes: 10.15, 10.16, 10.17, 10.18, 10.19) where the patient performs the procedure and no health care provider is present are also set to 7

(Not applicable) for the multiple health care provider indicator.

All remaining appointments are set to 2 (No) for the multiple health care provider indicator.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/727749



#### **Clinic NMDS Tier 1 Code**

Field name:	clinic_nmds_tier1_code
Source Data Element(s):	N/A
Definition:	The clinic type to be selected from the NMDS Tier 1 clinic list, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	X(7)
Permitted values:	For the complete list of permitted values, refer to the METeOR data item: Clinic - outpatient clinic Tier 1 type, code NNN.NNN.

#### **Guide for use**


This data element is used to determine a non-admitted patient service event. Please see link above for services in and out of scope as well as the relevant codes

#### **Clinic Site Code**

Field name:	clinic_site_code
Source Data Element(s):	N/A
Definition:	The clinic sites allocated to hospitals and other health related locations or establishments by the Department of Health WA as represented by a code.
Requirement status:	Optional
Data type:	String
Format:	[X(6)]
Permitted values:	N/A

#### Guide for use

As per the list of alpha and numeric codes allocated to hospitals and other health related locations or establishments by the Department of Health WA.



#### **Clinic Tier 2 Classification Code**

Field name:	clinic_tier2_code
Source Data Element(s):	N/A
Definition:	The Tier 2 clinic type that is assigned to a clinic at the time of registration, as represented by a code. The clinic type is to be selected from the IHPA Tier 2 clinic list.
Requirement status:	Mandatory
Data type:	String
Format:	NN.NN
Permitted values:	Refer to the Independent Hospital Pricing Authority (IHPA) <u>Tier 2 Non-Admitted Care Classification</u> .

#### **Guide for use**

Refer to the IHPA website link above.

This data element is required for national reporting against the data element: Mon-admitted patient service event - non-admitted service type (Tier 2), code NVI.N

The following MCC Tier 2 codes are not to be used by the WA health system

- 20.56 Multidisciplinary Case Conference (MDCC) patient not present
- 40.62 Multidisciplinary Case Conference (MDG) patient not present

The following Telehealth Tier 2 codes are not to be used within the WA Health system

- 20.55 Telehealth patient location
- 40.61 Telehealth patient location

# Related national definition


https://meteor.aihw.gov.au/context/index.phtml/tremId/733027

# **Clinic Tier 2 Classification Code Opened Date**

Field name:	clinic_tier2_code_date_opened
Source Data Element(s):	N/A
Definition:	The date on which the Tier 2 clinic type opened or updated for use.
Requirement status:	Optional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### Guide for use

This data item should be provided if available in the source system, otherwise leave blank.




## **Clinic Title**

Field name:	clinic_title
Source Data Element(s):	N/A
Definition:	The descriptive title of the clinic as identified in the source information system.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(49)]
Permitted values:	N/A

## **Guide for use**

This is the clinic title as it appears in the source health information system.




#### Clinic Healthcare Provider Code

Field name:	clinic_hcp_code
Source Data Element(s):	N/A
Definition:	The healthcare provider allocated to the clinic, represented by code.
Requirement status:	Conditional
Data type:	String
Format:	[X(6)]
Permitted values:	N/A

#### Guide for use

Condition: If the code of the health professional is available, then this data element is mandatory.




### **Clinic Healthcare Provider Name**

Field name:	clinic_hcp_name
Source Data Element(s):	N/A
Definition:	The name of the healthcare provider allocated to the clinic as represented by text.
Requirement status:	Conditional
Data type:	String
Format:	[X(50)]
Permitted values:	N/A

#### Guide for use

Condition: If the name of the healthcare provider is available, then this data element is mandatory.




# **Community Client SLK**

Field name:	comm_client_slk
Source Data Element(s):	N/A
Definition:	Statistical Linkage Key identifier
Requirement status:	Conditional
Data type:	String
Format:	[X(15)]
Permitted values:	N/A

#### **Guide for use**

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



# **Community Desired Place of Death 1st Assessment Code**

Field name:	comm_1st_ass_desired_place_of_death
Source Data Element(s):	N/A
Definition:	The desired place of death nominated by the patient at their first assessment, as represented by a code
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	HM - Home HOS - Hospital HOSP - Hospice OTHR - Other RCF - Residential Care Facility

#### **Guide for use**

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Community Desired Place of Death Code**

Field name:	comm_desired_place_of_death_code
Source Data Element(s):	N/A
Definition:	The subsequent desired place of death nominated by the patient, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	HM - Home HOS - Hospital HOSP - Hospice OTHR - Other RCF - Residential Care Facility

#### **Guide for use**


Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Community Duration**

Field name:	comm_duration
Source Data Element(s):	N/A
Definition:	Duration of service, in minutes.
Requirement status:	Conditional
Data type:	String
Format:	[N(8)]
Permitted values:	N/A

#### **Guide for use**

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



# **Community Phase of Care Code**

Field name:	comm_phase_of_care_code
Source Data Element(s):	N/A
Definition:	The phase of palliative care, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	ACT - Active INACT - Inactive BV - Bereavement

# **Guide for use**


The second of th Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Community Place of Care Code**

Field name:	comm_place_of_care_code
Source Data Element(s):	N/A
Definition:	The place where palliative care is provided, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	COMM - Community RACF - Residential Aged Care Facility

#### **Guide for use**

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



# **Community Place of Death Code**

Field name:	comm_place_of_death_code
Source Data Element(s):	N/A
Definition:	The place of death as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	HM - Home HOS - Hospital HOSP - Hospice OTHR - Other RCF - Residential Care Facility

#### Guide for use

Condition: if the source system collects this data element, then this is mandatory enerwise leave blank.

# **Community Service Code**

Field name:	comm_service_code
Source Data Element(s):	N/A
Definition:	The type of service provided as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	CNU - Community Nursing HATH - Hospital At the Home PRA - Priority Response Assessment HC - Hospice Care PA - Post Acute Care BC - Bereavement HNAV - Health Navigator O2 - Respiratory PAR - Palliative Respite

#### **Guide for use**

Condition: if the source system collects this data element then this leave blank. nandatory otherwise

# **Community Service Received Code**

Field name:	comm_service_received_code
Source Data Element(s):	N/A
Definition:	The service received by the patient, represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXXX]
Permitted values:	AHF - Allied Health Face-to-face AHS - Allied Health Support CA - Care Aide CDR - Coordinator CM - Clinical Meetings CNF - Counselling Face-to-face CNS - Counselling Support CON - Coordinator – Nurse DE - Diabetes Educator DR - Doctor HNAV - Health Navigator IHN - In-Home Nursing NCC - Nurse Client Loordination NP - Nurse Practitioner NS - Nursing Support OT - Cocupational Therapist PC - Reisonal Sare RN - Registered Nurse SOC - Social Worker

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Community Travel Time**

Field name:	community_travel_time
Source Data Element(s):	N/A
Definition:	The travel time, in minutes, associated with the appointment. The time taken by the healthcare provider to travel from the previous client's location to current client's location.
Requirement status:	Conditional
Data type:	String
Format:	[N(8)]
Permitted values:	N/A

#### **Guide for use**

s mandatory o.

Is mandatory o. Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Concession Card Type Code**

Field name:	concession_card_type_code
Source Data Element(s):	N/A
Definition:	Concession card allowing recipients to access cheaper health services, medicines and other benefits
Requirement status:	Conditional
Data type:	String
Format:	[X(21)]
Permitted values:	CCC - Current Concession  DVA - Dept of Veteran Affairs  HCC - Health Care Card  NDI - NDIS  PCC - Pension Concession Card  SAF - Safety Net Number  SHC - Seniors Health Card

#### **Guide for use**

able in the one concest Condition: This data element should be provided if available in the source system, otherwise leave blank. A patient may have more than one concession type, if so, string all codes into this data element.

#### **Date of Birth**

Field name:	date_of_birth
Source Data Element(s):	N/A
Definition:	Date on which a patient was born.
Requirement status:	Mandatory
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### Guide for use

Date of Birth is used to derive the age of the patient for use in demographic analysis. It also assists in the unique identification of patients if other identifying information is missing or in question and may be required for the derivation of other metadata items.

It is important to be as accurate as possible when completing the birth date. It is recognised that some patients do not know the exact date of their birth. When the exact date of birth is unknown, please estimate the person's age and record the date of birth as appropriate. Collected or estimated age would usually be in years to adult, and to the nearest three months (or less) for children aged less than two years.

## Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemle/287007


#### **Date of Death**

Field name:	date_of_death
Source Data Element(s):	N/A
Definition:	Patient's date of death.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### **Guide for use**

Condition: If patient has died this field is mandatory, otherwise leave blank.

Where Date of birth is collected, Date of death must be equal to or greater than Date of birth for the same patient.



## **Death Notification Code**

Field name:	death_notification_code
Source Data Element(s):	N/A
Definition:	The code that identifies how the notification of a patient's death was received, if available.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	HOS - Hospital NOT - No Notification OTH - Other RAC - Residential Aged Care REL - Relative RGO - Death Register

#### **Guide for use**

Condition: If patient has died and the source system collects this field, the fit is mandatory, otherwise leave blank.

# **Department of Veterans' Affairs Card Colour Code**

Field name:	dva_card_colour_code
Source Data Element(s):	N/A
Definition:	The Department of Veteran Affairs (DVA) card colour indicates the level of entitlement to additional health cover.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	GOL - Gold ORN - Orange UNK - Unknown WHT - White

#### **Guide for use**

Wo Longer Applicable 2023.
Wo Longer Red 1 July 2023. This field is mandatory for DVA patients, leave blank otherwise.

## **Department of Veterans' Affairs File Number**

Field name:	dva_file_number
Source Data Element(s):	N/A
Definition:	The Department of Veteran Affairs (DVA) file number. Required to identify those patients entitled to DVA funding for their medical care at the point of service.
Requirement status:	Conditional
Data type:	String
Format:	[X(12)]
Permitted values:	N/A

#### Guide for use

This field is mandatory for DVA patients, otherwise leave blank.

The DVA File Number is the number located below the person's name on the Repatriation Health Card that is issued by the DVA to eligible Veteran beneficiaries.

There must be no spaces between the alpha and numeric values. The Alpha characters in the first position refer to the Australian States' initials. Therefore, the only valid characters in the first position of this field are N, Q, S, T, V and W. Veterans from the ACT and the Northern Territory have the initials N and S respectively.

Patients who choose to give up their entitlement for treatment under the Veterans' Entitlements Act 1986 (Cth) must have their card colors and DVA File Number recorded, regardless of the type of Funding Source indicates.

### **Establishment Code**

Field name:	establishment_code
Source Data Element(s):	N/A
Definition:	A unique four-digit number that is assigned by Department of Health (WA) to hospitals and other health related locations or establishments.
Requirement status:	Mandatory
Data type:	String
Format:	NNNN
Permitted values:	Refer to the Establishment Code List

#### Guide for use

An establishment refers to an authorised/accredited physical location where patients can receive health care and stay overnight. This includes acute hospitals, residential aged care and nursing homes, rehabilitation and residential mental health facilities. For the purposes of reporting and other business requirements, virtual hospitals, same-day clinics surgeries, nursing posts, detention centres or prisons may also be assigned an establishment code.

Establishment codes are assigned by the Department of Health and a list of valid establishments is provided in the Establishment Code List

### Related national definition


https://meteor.aihw.gov.au/content/index.phtml/itelv/id/269973

### **Establishment Site Code**

Field name:	establishment_site_code
Source Data Element(s):	N/A
Definition:	Any other code that identifies a site, if available.
Requirement status:	Optional
Data type:	String
Format:	[X(6)]
Permitted values:	N/A

## **Guide for use**

Condition: this data element should be provided if available in the source system, otherwise leave blank.



# **Event Type**

Refer to Appointment Event Type.

Active seded in 1911/2023.

## **Family Name**

Field name:	family_name
Source Data Element(s):	N/A
Definition:	The part of a name a patient usually has in common with other members of their family, as distinguished from their given names
Requirement status:	Mandatory
Data type:	String
Format:	X[X(49)]
Permitted values:	N/A

### **Guide for use**

Alias or assumed names must not be included if the legal Family Name is known.

Do not use brackets () for alias names in the Family Name.

Where the Family Name is unknown or there is no Family Name, the name the person is identified by must be recorded in the Family Name field and the First Given Name field left blank.

Numeric values are not permitted.

To minimise discrepancies in the recording and reporting of name information, establishments must ask the person for their full (formal) Given name and 'Family name'. These may be different from the name that the person may prefer the establishment to use.

### **First Given Name**

Field name:	first_given_name
Source Data Element(s):	N/A
Definition:	The first given name of the patient.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(49)]
Permitted values:	N/A

### Guide for use

A person's given name can be:

- Assigned by a person's parents shortly after birth or adoption or other cultural ceremony.
- Acquired by a person in accordance with a due process defined in a State or Territory Act relating to the registration of births, deaths, marriages and changes of name and sex, and for related purposes, such as the WA Pirkhs, Death's and Marriages Registration Act 1998.
- Attained by a person within the family group or by which that person identified.

The agency or establishment must record the person's jungiven name(s) on their patient administration systems.

## **Interpreter Required**

Field name:	interpreter_required
Source Data Element(s):	N/A
Definition:	An indicator for whether an interpreter service is required by or for the patient.
Requirement status:	Mandatory
Data type:	String
Format:	X
Permitted values:	N - Interpreter not required U - Unknown/not stated Y - Interpreter required

### **Guide for use**

The use of an interpreter service may be necessary for any language, including non-verbal languages, used by the patient for communication.

Yes – refers to instances in which an official paid interpreter is used to assist the patient to communicate, or an official paid interpreter is used to assist the patient's family/mends to communicate on the patient's behalf (i.e. small children whose relatives are not fluent in English).

No – refers to family/friends interpreting for the patient of no formal interpreting services required.

## **Marital Status**

Field name:	marital_status
Source Data Element(s):	N/A
Definition:	A patient's current relationship status in terms of a couple relationship or, for those not in a couple relationship, the existence of a current or previous registered marriage, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	DEF - De Facto DIV - Divorced MAR - Married NMA - Never Married SEP - Separated UNK - Unknown WID - Widowed

## **Guide for use**

The category 'MAR – (Married)' applies to registered unions and de facto relationships, including same sex couples.

Where a patient's marital status has not been specified and the patient is a minor (16 years of age or less), assign NMA (Never Marred) as a default.



### **Medicare Card Number**

Field name:	medicare_card_number
Source Data Element(s):	N/A
Definition:	Identifying number that appears on a Medicare card.
Requirement status:	Mandatory
Data type:	Numeric
Format:	X(13)
Permitted values:	N/A

## **Guide for use**

Must be a valid current Medicare Number issued by Services Australia.

Full Medicare Card details are used to define eligibility for specific services and not as a patient identifier.


As persons can be listed on more than one Medicare Card, the full Medicare number is not a unique identifier and must not be used for this purpose.

# **Patient Secondary Identifier**

Field name:	patient_secondary_identifier
Source Data Element(s):	N/A
Definition:	A logical combination of valid alphanumeric characters that identifies a patient and is unique within an establishment or agency.
Requirement status:	Conditional
Data type:	String
Format:	[X(10)]
Permitted values:	N/A

### Guide for use

Condition: If the source system does not collect this then leave blank.



# **Patient With Cancer Ready For Care Code**

Field name:	cancer_ready_for_care_code
Source Data Element(s):	N/A
Definition:	The ready for care status as represented by a code. May be mandatory for specific purposes.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	DEF - Deferred OTH - Other RFC - Ready for care STG - Staged UNK - Unknown

### **Guide for use**


Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Patient With Cancer Ready For Care Date**

Field name:	cancer_ready_for_care_date
Source Data Element(s):	N/A
Definition:	The date, in the opinion of the treating clinician, on which a patient is ready to commence treatment.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

### Guide for use

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



# **Patient With Cancer Clinical Emergency Indicator**

Field name:	cancer_clinical_emergency_flag
Source Data Element(s):	N/A
Definition:	An indicator for whether the treatment required for the patient is clinically assessed as an emergency.
Requirement status:	Conditional
Data type:	String
Format:	X
Permitted values:	N - No – the treating clinician has assessed the waiting time for treatment can exceed 24 hours Y - Yes – the treating clinician has assessed the waiting time for treatment cannot exceed 24 hours U - Unknown

## **Guide for use**

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

## **Patient With Cancer Intention of Treatment**

Field name:	cancer_treatment_intention
Source Data Element(s):	N/A
Definition:	The reason why treatment is provided to a patient, as represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	XXX
Permitted values:	CUR - Curative OTH - Other PAL - Palliative PRO - Prophylactic UNK - Unknown

### **Guide for use**

This code is used when treatment is given for control of the disease

**CUR** Curative

This code is used when treatment is given primarily for of pale control. Other benefits of the treatment are considered secondary contributions to quality of life.

PAL Palliative

This code is used for treatment to prevent the occurrence or spread of disease.PRO Prophylactic


Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.

# **Patient With Cancer Primary Site of Cancer**

Field name:	cancer_primary_site_of_cancer
Source Data Element(s):	N/A
Definition:	The site of origin of the tumour, as opposed to the secondary or metastatic sites, as represented by an ICD-10-AM code.
Requirement status:	Conditional
Data type:	String
Format:	[X(15)]
Permitted values:	N/A

### Guide for use

Condition: if the source system collects this data element, then this is mandatory, otherwise leave blank.



# **Patient With Cancer Radiotherapy Start Date**

Field name:	cancer_radiotherapy_start_date
Source Data Element(s):	N/A
Definition:	The date on which radiotherapy treatment started.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

### Guide for use

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



# **Phone Number 1**

Field name:	phone_number_1
Source Data Element(s):	N/A
Definition:	Patient's first contact telephone number at the time of the scheduled appointment.
Requirement status:	Optional
Data type:	String
Format:	[X(20)]
Permitted values:	N/A

Wo Londer Applicable 2023.
Wo Londer Applicable 2023.
Superseded A July 2023.

## **Phone Number 2**

Field name:	phone_number_2
Source Data Element(s):	N/A
Definition:	Patient's second contact telephone number at the time of the scheduled appointment.
Requirement status:	Optional
Data type:	String
Format:	[X(20)]
Permitted values:	N/A

Holonder Applicable 2023.

Holonder Applicable 2023.

## **Postal Address 1**

Field name:	postal_address_1
Source Data Element(s):	N/A
Definition:	First line of the patient's postal address at the time of the scheduled appointment.
Requirement status:	Optional
Data type:	String
Format:	[X(70)]
Permitted values:	N/A

Wo Londer Applicable 2023.

Wo Londer Applicable 2023.

## **Postal Address 2**

Field name:	postal_address_2
Source Data Element(s):	N/A
Definition:	Second line of the patient's postal address (if required) at the time of the scheduled appointment.
Requirement status:	Optional
Data type:	String
Format:	[X(70)]
Permitted values:	N/A

Holonder Applicable 2023.

Holonder Applicable 2023.

# **Postal Postcode**

Field name:	postal_postcode
Source Data Element(s):	N/A
Definition:	The Australian numeric descriptor for a postal delivery area for an address. The postcode relates to the patient's area of usual residence.
Requirement status:	Optional
Data type:	String
Format:	[NNNN]
Permitted values:	N/A

Holonger Applicable 2023.

# **Postal State or Territory**

Field name:	postal_state
Source Data Element(s):	N/A
Definition:	Patient's state of postal address, as represented by a code.
Requirement status:	Optional
Data type:	String
Format:	[XXX]
Permitted values:	NSW - New South Wales VIC - Victoria QLD - Queensland SA - South Australia WA - Western Australia TAS - Tasmania NT - Northern Territory ACT - Australian Capital Territor OTH - Other Territories UNK - Unknown
No inerseded	

### **Postal Suburb**

Field name:	postal_suburb
Source Data Element(s):	N/A
Definition:	The name of the locality/suburb of the postal address, as represented by text.
Requirement status:	Optional
Data type:	String
Format:	[X(50)]
Permitted values:	N/A

Holonder Applicable 2023.

Holonder Applicable 2023.


## **Record Change Type**

Field name:	record_change_type
Source Data Element(s):	N/A
Definition:	The type of change made to the record
Requirement status:	Conditional
Data type:	String
Format:	[X]
Permitted values:	I - Insert U - Update

### Guide for use

The Record Change Type is used during load process.

Condition: if the source system collects this Data element then this should be reported.



# **Record Type**

Field name:	Nap_record_type
Source Data Element(s):	N/A
Definition:	The type of record.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	REF - Referral APP - Appointment RES - Reschedule CAN - Cancellation

## **Guide for use**

The Record Type is used during the load process.

The Record Type is used during the load process.

Condition: If the feeder system provides this then the Data Element is Mandates.

### **Referral Account Number**

Field name:	referral_account_number
Source Data Element(s):	N/A
Definition:	A unique identifier for the referral. This number would be against each appointment record for the same episode of care or referral events.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(29)]
Permitted values:	N/A

### Guide for use


The referral account number is unique for each referral registered to a Patient Administration System (PAS). When appointments are made they must be linked to a registered referral. Each referral can be attached to multiple appointments and hence attached to multiple appointment account numbers.

## **Referral Account Number 2**

Field name:	referral_account_number_2
Source Data Element(s):	N/A
Definition:	A second unique identifier for a referral registered to a patient administration system.
Requirement status:	Optional
Data type:	String
Format:	[X(30)]
Permitted values:	N/A

### Guide for use

Condition: This data element should be provided if available in the source system, otherwise leave blank.



# **Referral Category Code**

Field name:	referral_category_code
Source Data Element(s):	N/A
Definition:	Referral category, as represented by a code and based on the webPAS three-character category codes.
Requirement status:	Mandatory
Data type:	String
Format:	XXX[X]
Permitted values:	ABH - Aboriginal Health ACA - Aged Care Assessment ADO - Adolescent Medicine AMA - Acute Med Assessment AMP - Amputee ANA - Anaesthetics ANT - Antenatal APY - Adult Psychology AUD - Audiology BRE - Breast Service BUR - Burns CAR - Cardiology CHI - Child Psychiatry CHP - Child Protection Medicine CMB - Cardiometatolic CMN - Cammunity Jursing COL - Colo Pettal Surgery COM - Communicable Disease CON - Continence Enuresis COT - Continence COR - Child Psychology CRE - Cardiac Rehabilitation CTE - Cardio Tech Service CTS - Cardiothoracic Surgery DAA - Drug And Alcohol DAE - Diabetic Education DEN - Dental DER - Dermatology DIA - Diabetes DIE - Dietetics DIS - Dialysis EME - Emergency Medicine

**END** - Endocrinology ENT - Ear, Nose, Throat FRM - Forensic Medicine GAS - Gastroenterology **GEN - Genetics** GER - Gerontology GES - General Surgery GHP - General Health Psychology GNU - General Nursing **GPM - General Medicine** GYN - Gynaecology HAE - Haematology HAN - Hand Surgery **HEP** - Hepatobiliary HIT - Hospital In The Home HLK - Home Link HYP - Hyperbaric Medicine ICS - Cancer Service IMM - Immunology INF - Infectious Medicine LIV - Liver Service LYM - Lymphoedema Service MET - Metabolic Medicine MFC - Multidisciplinary Foot Ucer MMH - Midland Mental Health MPG - Mound Psychiatric Geriatric MTO Wajor Training Outcome O - Neonatology NES - Neurosurgery NEU - Neurology NGF Neurogenetic Neurological Intervention TE - Neuro Tec Service NUC - Nuclear Medicine **OBS** - Obstetrics OCC - Occupational Therapy ONC - Oncology OPH - Ophthalmology **OPT - Optometry ORA** - Oral Surgery **ORP** - Orthoptics **ORT** - Orthopaedics OTC - Orthotics

	OTT - Orthopaedic Trauma
	PAE - Paediatric Medicine
	PAI - Pain Management
	PAL - Palliative Medicine
	PAS - Paediatric Surgery
	PHA - Pharmacy
	PHY - Physiotherapy
	PIC - Peripherally Inserted Central Catheter Services
	PLA - Plastic Surgery
	POD - Podiatry
	PRE - Pre-Admission and Pre-Anaesthetic
	PSG - Psychogeriatrics
	PSY - Psychiatry Adult
	PUP - Pulmonary Physiology
	PYO - Psychiatry Youth
	RAD - Radiology
	RAO - Radiation Oncology
	REH - Rehabilitation Medicine
	REM - Renal Medicine
	RES - Respiratory Medicine
	RET - Rehabilitation Technology
	RHE - Rheumatolog
	RIT - Rehabilitation in The Nome
	RSH - Research
	SAM - State-wide Aboriginal Mental Health
	SLP - SIGN
	SOW Social Work
	SRP Speech Pathology
	SPS - Sping and Scoliosis
	STM - Stomal Therapy
_\O	URCUrology
	WAS – Vascular Surgery
C	VIE - Vascular Tech Service
	WOU - Wounds Dressings Management
	YCS - Youth Cancer Service
	1.00 1.0001.001.001.000

# **Guide for use**

Refer to Appendix A – Current referral categories in the *Non-Admitted Patient Activity Business Rules* for the mapping of referral categories to reporting categories.

#### **Referral Created Date**

Field name:	referral_created_date
Source Data Element(s):	N/A
Definition:	Date on which the referral was created or issued.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

## **Guide for use**

The referral created date refers to the date recorded on the service request.

At a non-admitted patient service, service requests include:

- formal referral from a health-care provider, such as a general practitioner or specialist, or from a hospital, such as an emergency department and
- self-referral or attendance at a walk-in clinic.

This data element is required for national reporting against the data element: Non-admitted patient service event - service request issue date, DDMWYYYY.

Local codes are mapped to national codes for reporting purpose

Condition: If the feeder system provides this then the Data Element is Mandatory.

## Related national definition


https://meteor.aihw.gov.au/content/index.ont/hl/item\d/896448

### **Referral Closed Date**

Field name:	referral_closed_date
Source Data Element(s):	N/A
Definition:	Date on which the referral was closed. This will be blank until the referral is closed.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

### Guide for use

Once closed, a referral is removed from the Outpatient Wait List but is not removed from the source health information system.




# **Referral Entered By**

Field name:	referral_entered_by
Source Data Element(s):	N/A
Definition:	The identifier of the staff member who entered the referral details into the source patient administration system.
Requirement status:	Conditional
Data type:	String
Format:	[X(10)]
Permitted values:	N/A

### Guide for use

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.




# **Referral Entered Date**

Field name:	referral_entered_date
Source Data Element(s):	N/A
Definition:	The date on which the referral was entered into the source patient administration system.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

### Guide for use

Condition: This data element should be provided if available in the source system, otherwise leave blank.



# **Referral Priority Code**

Field name:	referral_priority_code
Source Data Element(s):	N/A
Definition:	The priority/triage level of the referral, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	AWT - Awaiting Triage  NUR - Not Urgent  SEM - Semi-Urgent  UNK - Unknown  URG - Urgent

## **Guide for use**

The referral priority determines the urgency of care required and prowhen the patient is to attend an appointment:

- URG: priority 1 within 30 days
- SEM: priority 2 within 90 days

• NUR: priority 3 within 365 days.

Only NUR, SEM and URG have benchmark wait thries to first appointment: respectively – 365 days, 90 days and 30 days.

### **Referral Reason Code**

Field name:	referral_reason_code
Source Data Element(s):	N/A
Definition:	The reason why the referral is issued, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	ASS - Assessment CHR - Chart Review EDU - Education OPM - Ongoing Patient Management OTH - Other RET - Research Trial TRE - Treatment/ Intervention UNK - Unknown

### **Guide for use**

Ongoing patient management code 'OPM' (OPM) can only be assigned to referrals created in webPAS. The 'OPM' code can be used when a referral is received by a Health Service Provider for ongoing management of the same condition. Using this code will indicate that this referral is not for a 'first' activity within that service and will enable that referral to be excluded from any data that is used in reporting outpatient waiting times for the first attended appointment. Although the Chart review code CHR) may have a clinical review component, there is no patient present. For this reason, any appointment for chart review that is attached to this referral will not preed the cribate for a non-admitted patient service event.

# **Referral Reason for Closure Code**

Field name:	referral_reason_closure_code
Source Data Element(s):	N/A
Definition:	Reason for the referral being closed, represented by a code.
Requirement status:	Conditional
Data type:	String
Format:	[XXX]
Permitted values:	AUD - Audit DEC - Deceased DIP - Discharge Policy NSP - Not Specified PDT - Patient Declined Treatment TFC - Transfer and Close TRE - Treatment Completed

### **Guide for use**

Condition: If the source system collects this data item and the referral has been closed, then a value is mandatory, otherwise leave blank.

## **Referral Received Date**

Field name:	referral_received_date
Source Data Element(s):	N/A
Definition:	The date on which a patient's referral is accepted onto a list for care or treatment. This date marks the commencement of the referral wait time until a first appointment is attended.
Requirement status:	Mandatory
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

#### **Guide for use**

ament: Non-active of the control of This data item is required for national reporting against the data element: Non-admitted patient service event - service request received date, DDMMYYYY.

### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/40071

# **Referral Source Code**

Field name:	referral_source_code
Source Data Element(s):	N/A
Definition:	The source of the referral, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	xxx
Permitted values:	AHP - Allied Health Professional ANI - Another Institution CLN - Clinician COM - Community CON - Same Consultant CTB - Community Treatment Order Breach CTV - Community Treatment Order Variation EDU - Education Department EMD - Emergency Department EMD - Emergency Department FAF - Family or Friend GEP - General Practitioner GOV - Government Adores INW - Inpatient Waro MCE - Mental Nearn Emergency Response Line (MHERL) or Community Emergency Response Team (CERT) MEP - Medical Practitioner MHC - Mental Nearn Clinic or Team INGO - Non-Government Organisation NPR - Nurse Practitioner NSP - Net Specified Nurs - Nurse ONN - Other OPH - Outpatient Department this Hospital OPR - Other Professional OTH - Other Hospital OTS - Other Service POL - Police PPS - Private Psychiatrist PRI - Private Referral PRN - Private Referral PRN - Private Referral by General Practitioner RCF - Residential Care Facility SLF - Self SPR - Specialist Rooms

#### **Guide for use**

This data item is required for national reporting against the data element: Non-admitted patient service request—service request source.

Local codes are mapped to national codes for reporting purposes.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/679552

Wo Longer Applicable 2023.

Wo Longer Applicable 2023.

## **Referral Status Code**

Field name:	referral_status_code
Source Data Element(s):	N/A
Definition:	The status of the referral, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XX
Permitted values:	CA - Cancelled CL - Closed IN - Inactive OP - Open RE - Rejected UN - Unknown WL - On Waiting List


Holonger Applicable 2023.

## **Referral Update Date**

Field name:	referral_update_date
Source Data Element(s):	N/A
Definition:	The system date on which the referral is updated by the site.
Requirement status:	Conditional
Data type:	Date
Format:	DDMMYYYY
Permitted values:	N/A

### Guide for use

Condition: if the source system collects this data element, then this is mandatory otherwise leave blank.



## Referring Healthcare provider

Field name:	referring_hcp
Source Data Element(s):	N/A
Definition:	The name of the referring healthcare provider that requested the non-admitted service.
Requirement status:	Optional
Data type:	String
Format:	[X[X(50)]]
Permitted values:	N/A

Wo Longer Applicable 2023.
Wo Longer Applicable 2023.

## **Residential Address 1**

Field name:	residential_address_1
Source Data Element(s):	N/A
Definition:	First line of the patient's residential street address at the time of the scheduled appointment.
Requirement status:	Mandatory
Data type:	String
Format:	[X(69)]
Permitted values:	N/A

Holonger Applicable 2023.

Holonger Applicable 2023.

## **Residential Address 2**

Field name:	residential_address_2
Source Data Element(s):	N/A
Definition:	Second line of the patient's residential street address (if required) at the time of the scheduled appointment.
Requirement status:	Optional
Data type:	String
Format:	[X(70)]
Permitted values:	N/A

Holonger Applicable 2023.

Holonger Applicable 2023.

# **Residential Status Code**


Field name:	residential_status_code
Source Data Element(s):	N/A
Definition:	Patient's residential status for billing purposes, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	[XXX]
Permitted values:	ASY - Asylum Visa BUS - Business Visa DET - Detainee EME - Emergency Visa EMR - Emergency Rescue Visa HUM - Humanitarian MED - Medical Treatment NSP - Not Specified OMV - Overseas Motor Vehicle Disurance Tast OTE - Overseas Foreign Deterice OVS - Overseas Shipping OVE - Overseas Vistol OVC - Overseas Workers Compensable PRO - Temporary Protection REC - Reciprocal Overseas REF - Periode Visa RES Residen IEE - Retirement Visa SAC - Sportivities STU Student Visa TEM - Tourist Visa UNK - Unknown WHO - Working Holiday Visa WOR - Working Visa

## **Second Given Name**

Field name:	second_given_name
Source Data Element(s):	N/A
Definition:	The second given name of the patient.
Requirement status:	Conditional
Data type:	String
Format:	X[X(50)]
Permitted values:	N/A

## **Guide for use**

Condition: if the patient has a middle name then this field is mandatory, otherwise leave blank.



#### Sex

Field name:	sex
Source Data Element(s):	N/A
Definition:	A person's sex. Sex is understood in relation to sex characteristics, such as chromosomes, hormones and reproductive organs.
Requirement status:	Mandatory
Data type:	String
Format:	X
Permitted values:	M - Male F - Female X - Another term U - Unknown N - Not specified

#### **Guide for use**

Sex is often used interchangeably with gender, however they are distinct concepts and it is important to differentiate between them.

When comparing the concepts of sex and gender:

- Sex is understood in relation to sex characteristics
- Gender is about social and cultural differences in identity, expression and experience.

While they are related concepts, caution should be exercised when comparing counts for sex with those for gender.

Sex is important clinical information and must be collected for all patients. Current practice is to collect sex at the time of prescritation to pospital/health service. To ensure accuracy and consistency of data collection, gender diverse patients must still report their sex. Until an additional gender field becomes available, health service providers may give consideration to their own local processes to recognise a patient's gender where it may not correlate with their recorded sex.

The use of Code 3 "Another term" replaces "Other" and "Intersex or indeterminate" in previous versions of this code list. This option recognises that there are a range of different terms used.

#### Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemId/635126

# **State or Territory**

Field name:	state
Source Data Element(s):	N/A
Definition:	The state or territory of usual residence of a patient, as represented by a code.
Requirement status:	Mandatory
Data type:	String
Format:	XXX
Permitted values:	NSW - New South Wales VIC - Victoria QLD - Queensland SA - South Australia WA - Western Australia TAS - Tasmania NT - Northern Territory ACT - Australian Capital Territory OTH - Other Territories UNK - Unknown

## **Guide for use**

The order of permitted values is the standard for the Australian Byreau of Statistics (ABS).

#### Suburb

Field name:	suburb
Source Data Element(s):	N/A
Definition:	The name of the locality/suburb of the address, as represented by text.
Requirement status:	Mandatory
Data type:	String
Format:	X[X(49)]
Permitted values:	N/A

#### Guide for use

The suburb/town/locality name may be a town, city, suburb or commonly used location name such as a large agricultural property or Aboriginal community.

This metadata item may be used to describe the location of an organisation or person. It can be a component of a street or postal address.

If used for mailing purposes, the format of this data element should be upper case. to Australia Post Address Presentation Standard. Any forced abbreviations shall be done by truncation from the right.

This data element is one of a number of items that can be used to create a primary address, as recommended by the AS 4590-2006 Interct angle of client information standard. Components of the primary address are:


- o Longer ded Superseded Address site (or Primary complex) name
- Address number or number range
- Road name (name/type/suffix)
- Locality
- State/Territory
- Postcode (optional)
- Country (if applicable)

# **System Extracted Date**

Field name:	system_extracted_datetime		
Source Data Element(s):	N/A		
Definition:	The system date on which the patient appointment information was extracted from the source patient administration system.		
Requirement status:	Mandatory		
Data type:	Datetime		
Format:	YYYY-MM-DD HH:MM:SS		
Permitted values:	N/A		

#### Guide for use

This is a mandatory Data Element from the source system extraction date.




# **System Loaded Date**

Field name:	system_loaded_datetime		
Source Data Element(s):	N/A		
Definition:	The system date on which the patient record was loaded into the data collection.		
Requirement status:	Conditional		
Data type:	Datetime		
Format:	YYYY-MM-DD HH:MM:SS		
Permitted values:	N/A		

### **Guide for use**

Condition: This is created in the loading of the extract to the collection, not provided by the source



## **System Record Identifier**

Field name:	system_record_identifier	
Source Data Element(s):	N/A	
Definition:	A unique information system generated record identifier or key. This identifier will be used to ensure correct updates to existing records, identify duplicates and add unknown records from information system extracts.	
Requirement status:	Optional	
Data type:	String	
Format:	X[X(20)]	
Permitted values:	N/A	

## **Guide for use**

Optional element if the source system can provide otherwise leave blank.



## **System Updated Date**

Field name:	system_updated_datetime		
Source Data Element(s):	N/A		
Definition:	The date on which the record was updated. If any data item relating to a patient's appointment or referral record is updated this field is expected to be updated.		
Requirement status:	Conditional		
Data type:	Datetime		
Format:	YYYY-MM-DD HH:MM:SS		
Permitted values:	N/A		

# **Guide for use**

Condition: If the Source System collects then this field is Mandatory.



#### **Unit Medical Record Number**

Field name:	umrn_identifier	
Source Data Element(s):	N/A	
Definition:	Unit Medical Record Number, also referred to as Unique Medical Record Number. The same unique identifier is retained by the establishment for the patient for all events within that particular establishment.	
Requirement status:	Mandatory	
Data type:	String	
Format:	X(11)	
Permitted values:	N/A	

#### **Guide for use**

Alternate names for Unit Medical Record Number (UMRN) include Unique Medical Record Number, Patient Primary Identifier or Client Identifier.

For confidentiality purposes, WA does not report this data item no

## Related national definition

https://meteor.aihw.gov.au/content/index.phtml/itemld/200/46

# **Appendix A – Summary of revisions**

Date Released	Author	Approval	Amendment
1 July 2021	Lorinda Bailey	Rob Anderson, Assistant Director General, Purchasing and System Performance	Document created.
1 July 2022	Lorinda Bailey Shani Shiham Rachael McGuire Clarecia Rose	Rob Anderson, Assistant Director General, Purchasing and System Performance	Changes have been made to Grammar and wording in the Definition, Permitted value and Guide for use of several data items for clarity purposes.  Some Permitted values have been removed and others have been added, in order to bring the data elements further in line with field allocations. The hyperlinks in the document have been verified. The Requirement status in some instances has been updated in line with the nature of the data item. Where applicable, the Guide for use has been elaborated on and any superstated information bemoved.  The Permitted values have been altered for:  - Sex  (Interpreter Resulted - Nesidential Status Code - Medicare Card Number - Referral Reason for Closure Code - Appointment Cancellation Code - Appointment Care Type Code - Appointment Delivery Mode Code - Appointment Delivery Mode Code - Appointment Reason for Reschedule Code - Clinic Multidisciplinary Flag  The Requirement status has been updated for: - Residential Address 2 - Phone Number 1 - Concession Card Type - Referral Entered By - Referral Entered By - Referral Entered Date - Referral Entered Date - Referral Entered Date - Appointment Funding Source Code - Appointment Funding Source Code - Appointment Preferred Date  Deleted Event Type as duplicate of Appointment Event Type.

envernance mance Difference Difference Difference Difference mance Difference Difference

Produced by:

Information and Performance Governance Information and System Performance Division Purchasing and System Performance Division The Department of Health Western Australia

Ref: F-AA-74148

Mandatory Policy: MP 0164/21

# This document can be made available in alternative formats on request for a person with disability

© Department of Health, State of Western Australia (2022).

Copyright to this material is vested in the State of Western Australia unless otherwise indicated. Apart from any fair dealing for the purposes of private study, research, criticism or review, as permitted under the provisions of the *Copyright Act 1968*, no part may be reproduced or re-used for any purposes whatsoever without written permission of the State of Western Australia.